

# HAZARDOUS STORAGE CABINETS 2.00

## HAZARDOUS STORAGE 2.00

The Hazardous Storage Cabinets are designed to comply with UK regulations (guidelines and certificates detailed over leaf). All cabinets & bins featured are of welded construction, supplied with drip trays and warning labels. Please contact us for any clarification regarding UK guidelines and specifications etc.



p2.02



p2.03 **NEW**



p2.04 **NEW**



p2.05



p2.06



p2.07



p2.08



p2.09



# EXPERTISE



**FLAMMABLE**

Cabinet colour:  
Yellow RAL 1003



**FLAMMABLE**

Cabinet colour:  
Grey RAL 7031



**COSHH**

Cabinet colour:  
Mid Grey RAL 7001



**ACID**

Cabinet colour:  
White RAL 9003



**PESTICIDE**

Cabinet colour:  
Green RAL 6032



**FIRST AID**

Cabinet colour:  
White RAL 9003



**PPE**

Cabinet colour:  
Red RAL 3020

# FLAMMABLE STORAGE

## FLAMMABLE STORAGE CABINETS - 88 SERIES

Welded construction in 0.9mm thick steel designed to maintain integrity for 30 minute fire rating. Supplied with adjustable spillage trays and liquid tight sump tray. Doors are rebated and secured by chrome 3 way locking handle. High visibility powder coated finish with appropriate warning labels.

- Compliant with:
- D S E A R 2002
  - HS(G)51, 1990
  - Factory Inspectorate Certificate of Approval No1: Parts 3 & 4
  - COSHH



**BESPOKE SERVICE**  
We can modify a standard model or custom build to your design.



- Retaining lip
- Welded adjustable spillage trays
- Strengthened rebated door
- Welded lift out base spillage sump

## MOBILE FLAMMABLE STORAGE - 81 SERIES

- Welded construction from 0.9mm thick sheet steel with double rebated reinforced doors secured by strong 3 way chrome lever locking handle. Fitted with adjustable welded tray(s) and removable sump. Mounted on 2 fixed and 2 swivel braked rubber tyred castors. Supplied with bolt on push / pull handle. Powder coated yellow with appropriate warning labels.

H(mm)	W(mm)	D(mm)	Code	shelves
900	900	600	81F996	1
1200	900	600	81F296	2

N.B Cabinet heights do not include castors.  
For overall height including castors please add approx. 160mm.

## FLAMMABLE STORAGE

High visibility safety cabinet with a robust welded construction.

### CABINETS

H(mm)	W(mm)	D(mm)	Code	shelves	doors
712	355	305	88F733	1	1
610	459	459	88F644	1	1
915	459	459	88F944	1	1
1830	459	459	88F844	3	1
610	610	305	88F663	1	2
712	915	459	88F794	1	2
915	915	459	88F994	1	2
1220	915	459	88F294	2	2
1525	915	459	88F594	3	2
1830	915	459	88F894	3	2
1830	1220	459	88F824	3	2

• Our most popular models

### EXTRA SHELVES

W(mm) x D(mm)	Code
355 x 305	88ES33F
459 x 459	88ES44F
610 x 305	88ES63F
915 x 459	88ES94F
1220 x 459	88ES24F

If ordered separately from a cabinet please add £8.50 carriage

### SUPPORT STANDS (450mm High Support Stands)

H(mm)	W(mm)	D(mm)	Code	Suitable for
450	355	305	88FFS1	88F733
450	459	459	88FFS2	88F644, 944
450	915	459	88FFS3	88F794, 994, 294

88F663 can be used as a wall mounted cabinet

### CASTOR SET

Set of 4x rubber tyred castors fitted.  
2x fixed & 2x swivel braked.

Diameter	Code
100mm	C100
125mm	C125

# GREY FLAMMABLE STORAGE

## NEW GREY FLAMMABLE STORAGE CABINETS - 88 SERIES

Welded construction in 0.9mm thick steel designed to maintain integrity for 30 minute fire rating. Supplied with adjustable spillage trays and liquid tight sump tray. Doors are rebated and secured by chrome 3 way locking handle. Powder coated finish in dark grey with appropriate warning labels.



- Compliant with:
- D S E A R 2002
  - HS(G)51, 1990
  - Factory Inspectorate Certificate of Approval No1: Parts 3 & 4
  - COSHH

## FLAMMABLE STORAGE

Safety cabinet with a robust welded construction. Fitted internally with welded spillage tray(s) and lift out base spillage sump. Grey with labels.

## MOBILE GREY FLAMMABLE STORAGE - 81 SERIES

- Welded construction from 0.9mm thick sheet steel with double rebated reinforced doors secured by strong 3 way chrome lever locking handle. Fitted with adjustable welded tray(s) and removable sump. Mounted on 2 fixed and 2 swivel braked rubber tyred castors. Supplied with bolt on push / pull handle. Powder coated grey with appropriate warning labels.

H(mm)	W(mm)	D(mm)	Code	shelves
900	900	600	81F996G	1
1200	900	600	81F296G	2

N.B Cabinet heights do not include castors.

For overall height including castors please add approx. 160mm.

### CABINETS

H(mm)	W(mm)	D(mm)	Code	shelves	doors
712	355	305	88F733G	1	1
610	459	459	88F644G	1	1
915	459	459	88F944G	1	1
1830	459	459	88F844G	3	1
610	610	305	88F663G	1	2
712	915	459	88F794G	1	2
915	915	459	88F994G	1	2
1220	915	459	88F294G	2	2
1525	915	459	88F594G	3	2
1830	915	459	88F894G	3	2
1830	1220	459	88F824G	3	2

- Our most popular models

### EXTRA SHELVES

W(mm) x D(mm)	Code
355 x 305	88ES33FG
459 x 459	88ES44FG
610 x 305	88ES63FG
915 x 459	88ES94FG
1220 x 459	88ES24FG

If ordered separately from a cabinet please add £8.50 carriage

### SUPPORT STANDS (450mm High Support Stands)

H(mm)	W(mm)	D(mm)	Code	Suitable for
450	355	305	88FFSG1	88F733G
450	459	459	88FFSG2	88F644G, 944G
450	915	459	88FFSG3	88F794G, 994G, 294G

88F663G can be used as a wall mounted cabinet

### CASTOR SET

Set of 4x rubber tyred castors fitted.  
2x fixed & 2x swivel braked.

Diameter	Code
100mm	C100
125mm	C125

# COSHH CABINETS

## NEW COSHH CABINETS - 88 SERIES

Comprehensive range of COSHH cabinets for the safe storage and segregation of substances that are labelled as being hazardous to health, for example Toxic or Irritant. Based on employers carrying out mandatory risk assessments COSHH cabinets can aid as a precaution, control and maintenance of control elements of the COSHH Regulations 2002. Welded construction from 0.9mm thick steel with reinforced rebated door(s). Secured by 3 way chrome lever locking handle.



**BESPOKE SERVICE**  
We can modify a standard model or custom build to your design.

Compliant with:  
• COSHH Regulations 2002

### MOBILE COSHH STORAGE - 81 SERIES

Welded construction from 0.9mm thick sheet steel with double rebated reinforced doors secured by strong 3 way chrome lever locking handle. Fitted with adjustable welded tray(s) and removable sump. Mounted on 2 fixed and 2 swivel braked rubber tyred castors. Supplied with bolt on push / pull handle. Powder coated grey with appropriate warning labels.

H(mm)	W(mm)	D(mm)	Code	shelves
900	900	600	81H996	1
1200	900	600	81H296	2

N.B Cabinet heights do not include castors.  
For overall height including castors please add approx. 160mm.

## HAZARDOUS STORAGE

Safety cabinet with a robust welded construction. Fitted internally with welded spillage tray(s) and lift out base spillage sump. Mid grey with labels.

### CABINETS

H(mm)	W(mm)	D(mm)	Code	shelves	doors
712	355	305	88H733	1	1
610	459	459	88H644	1	1
915	459	459	88H944	1	1
1830	459	459	88H844	3	1
610	610	305	88H663	1	2
712	915	459	88H794	1	2
915	915	459	88H994	1	2
1220	915	459	88H294	2	2
1525	915	459	88H594	3	2
1830	915	459	88H894	3	2
1830	1220	459	88H824	3	2

• Our most popular models

### EXTRA SHELVES

W(mm) x D(mm)	Code
355 x 305	88ES33H
459 x 459	88ES44H
610 x 305	88ES63H
915 x 459	88ES94H
1220 x 459	88ES24H

If ordered separately from a cabinet please add £8.50 carriage

### SUPPORT STANDS (450mm High Support Stands)

H(mm)	W(mm)	D(mm)	Code	Suitable for
450	355	305	88HF51	88H733
450	459	459	88HF52	88H644, 944
450	915	459	88HF53	88H794, 994, 294

88H663 can be used as a wall mounted cabinet

### CASTOR SET

Set of 4x rubber tyred castors fitted.  
2x fixed & 2x swivel braked.  
**Diameter**      **Code**  
100mm            C100  
125mm            C125

# ACID & ALKALI CABINETS - 88 SERIES

Welded construction in 0.9mm thick zintec steel for extra corrosive resistance designed to store acids safely. Supplied with adjustable spillage trays and liquid tight sump tray. Doors are rebated and secured by chrome 3 way locking handle. High visibility powder coated finish with appropriate warning labels. Note that these cabinets are for storing acids safely and do not claim to be acid proof.



Compliant with:  
 • COSHH - 1994

## MOBILE ACID/ALKALI STORAGE - 81 SERIES

Welded construction from 0.9mm thick zintec coated sheet steel for extra corrosive resistance. Double rebated reinforced doors secured by strong 3 way chrome lever locking handle. Fitted with adjustable welded tray(s) and removable sump. Mounted on 2 fixed and 2 swivel braked rubber tyred castors. Supplied with bolt on push / pull handle. Powder coated white with appropriate warning labels.

H(mm)	W(mm)	D(mm)	Code	shelves
900	900	600	81A996	1
1200	900	600	81A296	2

N.B Cabinet heights do not include castors.

For overall height including castors please add approx. 160mm.

## ACID STORAGE

Safety cabinet with a robust welded construction. Fitted internally with welded spillage tray(s) and lift out base spillage sump. White with labels.

### CABINETS

H(mm)	W(mm)	D(mm)	Code	shelves	doors
712	355	305	88A733	1	1
610	459	459	88A644	1	1
915	459	459	88A944	1	1
1830	459	459	88A844	3	1
610	610	305	88A663	1	2
712	915	459	88A794	1	2
915	915	459	88A994	1	2
1220	915	459	88A294	2	2
1525	915	459	88A594	3	2
1830	915	459	88A894	3	2
1830	1220	459	88A824	3	2

• Our most popular models

### EXTRA SHELVES

W(mm) x D(mm)	Code
355 x 305	88ES33A
459 x 459	88ES44A
610 x 305	88ES63A
915 x 459	88ES94A
1220 x 459	88ES24A

If ordered separately from a cabinet please add £8.50 carriage

### SUPPORT STANDS (450mm High Support Stands)

H(mm)	W(mm)	D(mm)	Code	Suitable for
450	355	305	88AFS1	88A733
450	459	459	88AFS2	88A644, 944
450	915	459	88AFS3	88A794, 994, 294

88A663 can be used as a wall mounted cabinet

### CASTOR SET

Set of 4x rubber tyred castors fitted.  
 2x fixed & 2x swivel braked.

Diameter	Code
100mm	C100
125mm	C125

# AGROCHEMICAL & PESTICIDE CABINETS - 88 SERIES

Welded construction in 0.9mm thick zintec steel with ventilated doors. Supplied with adjustable spillage trays and liquid tight sump tray. Doors are rebated and secured by chrome 3 way locking handle. High visibility powder coated finish with appropriate warning labels.



**BESPOKE SERVICE**  
We can modify a standard model or custom build to your design.

Compliant with:

- HSE Guidance Notes A.I.S.16
- Control of pesticide regulations 1986
- COSHH - 1994

## PESTICIDE STORAGE

Safety cabinet with a robust welded construction. Fitted internally with welded spillage tray(s) and lift out base spillage sump. Green with labels.

## MOBILE AGROCHEMICAL/PESTICIDE STORAGE - 81 SERIES

- Welded construction from 0.9mm thick zintec coated sheet steel for extra corrosive resistance. Double rebated reinforced doors secured by strong 3 way chrome lever locking handle. Doors are both ventilated. Fitted with adjustable welded tray(s) and removable sump. Mounted on 2 fixed and 2 swivel braked rubber tyred castors. Supplied with bolt on push / pull handle. Powder coated green with appropriate warning labels.

H(mm)	W(mm)	D(mm)	Code	shelves
900	900	600	81P996	1
1200	900	600	81P296	2

N.B Cabinet heights do not include castors.

For overall height including castors please add approx. 160mm.

### CABINETS

H(mm)	W(mm)	D(mm)	Code	shelves	doors
712	355	305	88P733	1	1
610	459	459	88P644	1	1
915	459	459	88P944	1	1
1830	459	459	88P844	3	1
610	610	305	88P663	1	2
712	915	459	88P794	1	2
915	915	459	88P994	1	2
1220	915	459	88P294	2	2
1525	915	459	88P594	3	2
1830	915	459	88P894	3	2
1830	1220	459	88P824	3	2

• Our most popular models

### EXTRA SHELVES

W(mm) x D(mm)	Code
355 x 305	88ES33P
459 x 459	88ES44P
610 x 305	88ES63P
915 x 459	88ES94P
1220 x 459	88ES24P

If ordered separately from a cabinet please add £8.50 carriage

### SUPPORT STANDS (450mm High Support Stands)

H(mm)	W(mm)	D(mm)	Code	Suitable for
450	355	305	88PF51	88P733
450	459	459	88PF52	88P644, 944
450	915	459	88PF53	88P794, 994, 294

88P663 can be used as a wall mounted cabinet

### CASTOR SET

Set of 4x rubber tyred castors fitted. 2x fixed & 2x swivel braked.

Diameter	Code
100mm	C100
125mm	C125

# FIRST AID CABINETS - 88 SERIES

High visibility first aid cabinets of welded construction from 0.9mm thick steel with adjustable shelves. Reinforced rebated doors secured by 3 way locking chrome handle. Finished powder coated white and supplied with first aid labels.

ORDER CODE 88FA894 •



Compliant with:  
• Health & Safety Regulations 1981

## MOBILE FIRST AID STORAGE - 81 SERIES

- Welded construction from 0.9mm thick sheet steel with double rebated reinforced doors secured by strong 3 way chrome lever locking handle. Fitted with adjustable shelves. Mounted on 2 fixed and 2 swivel braked rubber tyred castors. Supplied with bolt on push / pull handle. Powder coated white with appropriate warning labels.

H(mm)	W(mm)	D(mm)	Code	shelves
900	900	600	81FA996	1
1200	900	600	81FA296	2

N.B Cabinet heights do not include castors.

For overall height including castors please add approx. 160mm.

## FIRST AID STORAGE

Safety cabinet with a robust welded construction. White with labels.

### CABINETS

H(mm)	W(mm)	D(mm)	Code	shelves	doors
712	355	305	88FA733	1	1
610	459	459	88FA644 •	1	1
915	459	459	88FA944 •	1	1
1830	459	459	88FA844	3	1
610	610	305	88FA663	1	2
712	915	459	88FA794 •	1	2
915	915	459	88FA994 •	1	2
1220	915	459	88FA294	2	2
1525	915	459	88FA594	3	2
1830	915	459	88FA894 •	3	2
1830	1220	459	88FA824	3	2

• Our most popular models

### EXTRA SHELVES

W(mm) x D(mm)	Code
355 x 305	88ES33FA
459 x 459	88ES44FA
610 x 305	88ES63FA
915 x 459	88ES94FA
1220 x 459	88ES24FA

If ordered separately from a cabinet please add £8.50 carriage

### SUPPORT STANDS (450mm High Support Stands)

H(mm)	W(mm)	D(mm)	Code	Suitable for
450	355	305	88FAFS1	88FA733
450	459	459	88FAFS2	88FA644, 944
450	915	459	88FAFS3	88FA794, 994, 294

88FA663 can be used as a wall mounted cabinet

### CASTOR SET

Set of 4x rubber tyred castors fitted.  
2x fixed & 2x swivel braked.  
**Diameter**      **Code**  
100mm            C100  
125mm            C125

## PPE CABINETS - 88 SERIES

Welded construction in 0.9mm steel to provide a robust steel cabinet to protect PPE from damage, contamination or loss. **The 1525 & 1830mm high model is complete with centre divider, 3 adjustable shelves and hanging rail.** Other sizes complete with adjustable shelves.

ORDER CODE 88E894 •



88E894

88E794 •

88EF53

81E996

81E296



88E594

88E824

88E844

88E294

88E733

88E944 •

88E663

88E994 •

88E644 •

**BESPOKE SERVICE**  
We can modify a standard model or custom build to your design.

Compliant with:

- The Personal Protective Equipment at Work Regulations 1994

## MOBILE PPE STORAGE - 81 SERIES

Welded construction from 0.9mm thick sheet steel with double rebated reinforced doors secured by strong 3 way chrome lever locking handle. Fitted with adjustable shelves. Mounted on 2 fixed and 2 swivel braked rubber tyred castors. Supplied with bolt on push / pull handle. Powder coated red with appropriate warning labels.

H(mm)	W(mm)	D(mm)	Code	shelves
900	900	600	81E996	1
1200	900	600	81E296	2

N.B Cabinet heights do not include castors.

For overall height including castors please add approx. 160mm.

## PPE STORAGE

Safety cabinet with a robust welded construction. Red with labels.

### CABINETS

H(mm)	W(mm)	D(mm)	Code	shelves	doors
712	355	305	88E733	1	1
610	459	459	88E644 •	1	1
915	459	459	88E944 •	1	1
1830	459	459	88E844	3	1
610	610	305	88E663	1	2
712	915	459	88E794 •	1	2
915	915	459	88E994 •	1	2
1220	915	459	88E294	2	2
1525	915	459	88E594	3	2
1830	915	459	88E894 •	3	2
1830	1220	459	88E824	3	2

• Our most popular models

### EXTRA SHELVES

W(mm) x D(mm)	Code
355 x 305	88E533E
459 x 459	88E544E
610 x 305	88E563E
915 x 459	88E594E
1220 x 459	88E524E

If ordered separately from a cabinet please add £8.50 carriage

### SUPPORT STANDS (450mm High Support Stands)

H(mm)	W(mm)	D(mm)	Code	Suitable for
450	355	305	88EF51	88E733
450	459	459	88EF52	88E644, 944
450	915	459	88EF53	88E794, 994, 294

88E663 can be used as a wall mounted cabinet

### CASTOR SET

Set of 4x rubber tyred castors fitted.  
2x fixed & 2x swivel braked.

Diameter	Code
100mm	C100
125mm	C125

# HAZARDOUS STORAGE

## **HID** HEAVY DUTY HAZARDOUS STORAGE CABINETS

All cabinets on this page are compliant with:- D S E A R 2002-HS(G)51, 1990-Factory Inspectorate Certificate of Approval No1: Parts 3 & 4-COSHH



### HEAVY DUTY SAFETY CABINETS - 57 SERIES

- Welded construction in 2mm steel plate with sealed base drainage boss. Reinforced doors mounted on continuous hinge, secured by mortise lock. Shelves are adjustable. Finished powder coated red with appropriate warning labels.

57226



### SLOPING TOP BINS - 58 SERIES & FLAT TOP BINS - 59 SERIES

- All welded construction in 2mm steel plate with flat sealed base, hinged lid fitted with safety stay and secured by hasp & staple. Lift out shelves are available as an optional extra. Finished powder coated red with safety labels. Optional extras include vents, floor skids & mortise locks.

### SPECIAL EXTERNAL HAZARDOUS STORAGE VAULTS

Also available, please contact us for further details.

### HEAVY DUTY CHEMICAL CABINETS - 85 SERIES & HEAVY DUTY HAZARDOUS CABINETS - 85 SERIES

- Constructed in 1.2mm thick steel sheet with sealed base and lift out sump. Reinforced doors mounted on continuous hinge. Flush 3 way locking handle. Adjustable spillage shelves. Standard colour finish red. Chemical cabinets constructed in 1.2mm zintec steel finished grey.

#### HEAVY DUTY - 57 SERIES

H x W x D (mm)	Code
<b>Single Door</b>	
900 x 600 x 450	57964
1200 x 600 x 450	57264
1500 x 900 x 450	57594

<b>Double Door</b>	
900 x 900 x 450	57994
1200 x 1200 x 600	57226
1500 x 1500 x 600	57556
Hi Lo Vents	

#### SLOPING TOP BINS-58 SERIES

H x W x D (mm)	Code
900 x 600 x 600	58966
900 x 900 x 600	58996
900 x 1200 x 600	58926
900 x 1500 x 600	58956
1200 x 600 x 600	58266
1200 x 900 x 600	58296
1200 x 1200 x 600	58226

#### FLAT TOP BINS - 59 SERIES

480 x 480 x 480	59444
600 x 600 x 600	59666
600 x 1200 x 600	59626

#### HEAVY DUTY - 85 SERIES

H x W x D (mm)	Code
600 x 450 x 450	85644*
900 x 450 x 450	85944*
700 x 900 x 450	85794*
900 x 900 x 450	85994*
1200 x 900 x 450	85294*
1500 x 900 x 450	85594*
1800 x 900 x 450	85894*

<b>Wall Cabinet</b>	
600 x 450 x 250	85642*
900 x 450 x 250	85942*

\*Add **H** or **C** to order code to indicate colour required.