



**Wolflabs**

# Wolf Laboratories Limited

[www.wolflabs.co.uk](http://www.wolflabs.co.uk)

Tel: 01759 301142

Fax:01759 301143

[sales@wolflabs.co.uk](mailto:sales@wolflabs.co.uk)



**If the literature below doesn't answer all your questions, click these links to:**

[Request details on an alternative product of the same type](#)

[Request details on accessories](#)

[Request details on other product categories](#)



## Pen-Type Thermometer with Alarm



Pen-Type Thermometer with Alarm

ST-1027

### Features:

- Push-button keypad and display
- 145mm x 4mm  $\varnothing$  stainless steel penetration probe with pointed tip
- 15mm LCD display with alarm indicator
- Audible alarm when target temperature set by the user is met or exceeded
- The temperature sensor is located in the bottom 20mm of the probe

### · Supplied with the probe cap & battery

### · Optional Calibration Certificate available

ACAL-ST Calibration Certificate - Issued at 4 points: 25°C, 50°C, 75°C & 100°C. (Additional points are available if required. These must be specified at the time of order. Please call for price and details.)

### Technical Specifications

#### AST-1027 Pen type Thermometer

Range	-50° to +300°C.
Resolution	1°C
Accuracy	$\pm 1^\circ\text{C}$
Power	1 x 1.5V button cell battery
Dimensions	240 x 30 x 20mm (unit), probe 145 x 4mm $\varnothing$
Weight	36g

## Dual Sensor Memory Indoor Outdoor Thermometer



Dual Sensor Memory Indoor Outdoor Thermometer

TH-968

### Features:

- Measures °C or °F
- Easy to operate
- Min/max memory with separate reset buttons for independent reset for internal and external sensors
- Water-resistant external sensor with 3m connection lead
- Separate windows with 15mm LCD displays for each sensor with IN and OUT indicators
- Impact-resistant ABS case with flip-out desk stand and wall mounting key-ways

### · Supplied with battery

· **CAL-TH Optional Calibration Certificate available** Issued at 2 points for external sensor: -15°C & 20°C and 2 points for internal sensor: 0°C & 20°C. Additional points available if required. Please call for details

### Dual Sensor Memory Thermometer

#### Technical Specifications

Range	-50° to +70°C, -58° to +158°F (external sensor) -10° to +50°C, 14° to +122°F (internal sensor)	
Resolution	0.1°C	0.1°F
Accuracy	±2°C	±3.6°F
Power	1 x 1.5V AA battery	
Dimensions	135 x 75 x 18mm	
Weight	117g	