

Technical Parameters

Model	YDS-65-216-FZ	YDS-95-216-FZ	YDS-115-216-FZ	YDS-145-216-FZ	YDS-175-216-FZ
Maximum Storage Volume					
No. of Rack	6	6	6	6	6
2ml Storage Vials (100/box)	2400	3000	3600	4800	6000
Layers in Rack	4	5	6	8	10
5ml Storage Vials (81/box)	—	972	1458	1944	2430
Layers in Rack	—	2	3	4	5
Function					
Liquid Nitrogen Volume (L)	65	95	115	145	175
Static Evapouration Rate* (%/d)	0.78	0.97	0.94	0.96	0.95
Static Holding Time** (Day)	83	98	122	151	184
Dimensions					
Neck Opening (mm)	216	216	216	216	216
Overall Height (mm)	712	774	846	946	1060
Overall Diameter (mm)	681	681	681	681	681
Empty Container Weight (kg)	39.3	42.5	43.7	49.9	54.8
Full Container Weight (kg)	81.5	112.3	133.5	158.9	199.5
Shipping Weight (kg)	63.8	67.9	71.2	82.1	91.3

* Static evapouration and static holding time are theoretical values. Actual evapouration and holding time are affected by usage, atmospheric conditions, and manufacturing tolerances.

** Static Holding Time: the amount of days it takes for all of the LN to evapourate out after container is filled with liquid nitrogen to pre-cool and reach thermal equilibrium and the liquid nitrogen filling rate reaches 100% under standard atmospheric condition.

Product List

Model	Product	Model	Description and Accessories
YDS-65-216	Smart Liquid Nitrogen Container (Smart Series)	YDS-65-216-FZ	Includes 6 racks (4-tier), cryoboxes (9*9), lockable cap, roller base is optional
YDS-95-216	Smart Liquid Nitrogen Container (Smart Series)	YDS-95-216-FZ	Includes 6 racks (5-tier), cryoboxes (9*9), lockable cap, roller base is optional
YDS-115-216	Smart Liquid Nitrogen Container (Smart Series)	YDS-115-216-FZ	Includes 6 racks (6-tier), cryoboxes (9*9), lockable cap, roller base is optional
YDS-145-216	Smart Liquid Nitrogen Container (Smart Series)	YDS-145-216-FZ	Includes 6 racks (8-tier), cryoboxes (9*9), lockable cap, roller base is optional
YDS-175-216	Smart Liquid Nitrogen Container (Smart Series)	YDS-175-216-FZ	Includes 6 racks (10-tier), cryoboxes (9*9), lockable cap, roller base is optional
	Roller Base	YSC-M	Suitable for all 65L-175L aluminium tank, equipped with 5 universal wheels

Medium Sized Storage Series (Square Racks)

Medium Sized Storage Series (Square Racks) features low LN₂ consumption and relatively small footprint for medium capacity sample storage.

- 5 Year Vacuum Warranty
 - Cryobox Storage
 - High Thermal Efficiency
 - Liquid and Vapour Storage
- Durable
 - Auto-fill Function
 - Secure



Key Features

- Heavy duty lockable enclosure offers excellent security
 - Compatible with all major cryobox brands
 - Durable aluminium construction
 - Temperature monitoring available
- Liquid or vapour phase option available
 - High thermal efficiency
 - 5 year vacuum warranty
 - Ultra-low evaporation Loss

Product Advantages

ULT Storage with Extremely Low LN₂ Evaporation Loss

Freezer racks are in the ultra-low temperature environment with extremely low LN₂ evaporation. Even stored in vapour phase, the temperature will be below -190°C for a long time.




Advanced Vacuum Technology and Superinsulation Technology

Advanced vacuum and insulation technologies ensure cryopreservation for up to four months.



Compatible for Blood Bag Storage

Suitable for blood bag applications, the racks can be adapted to provide temporary blood bag storage before transferring bags to larger LN₂ storage tanks.



Level and Temperature Monitor

Liquid level monitor tracks LN₂ liquid level and temperature continuously and reliably inside the tank and alerts users to refill tank. It is suitable for institutes requiring long-term cryopreservation.

The monitor offers real-time temperature and LN₂ liquid level display, and audible/visual alarms for high temperature, sensor failure, and low liquid level.



ZTC-100A

Technical Parameters

Model	YDS-65-216-F	YDS-95-216-F	YDS-115-216-F	YDS-140-216-F	YDS-175-216-F
Maximum Storage Capacity					
No. of Rack	6	6	6	6	6
No. 2.0 ml Cryovials (100 / Box)	2400	3000	3600	4800	6000
No. of Boxes in (2ml each Rack)	4	5	6	8	10
No. 5.0 ml Cryovials (81 / Box)	-	972	1458	1944	2430
No. of Boxes in (5ml each Rack)	-	2	3	4	5
Performance					
Volume of LN ₂ (L)	65	95	115	140	175
Static Evaporation Rate* (L/Day)	0.78	0.97	0.94	0.96	0.95
Static Holding Time** (Day)	83	98	122	151	184
Dimensions					
Neck Opening Diameter (mm)	216	216	216	216	216
Height (mm)	712	774	846	946	1060
Outer Diameter (mm)	681	681	681	681	681
Empty Weight (kg)	38.3	41.3	42.3	48.9	53.8
Gross Weight (kg)	80.8	112.4	132.8	157.3	198.5
Shipping Weight (kg)	61.8	65.9	72.9	80.1	89.2

*Static evaporation and static holding time are theoretical values. Actual evaporation and holding time are affected by usage, atmospheric conditions, and manufacturing tolerances.

**Static Holding Time: the amount of days it takes for all of the LN to evaporate out after container is filled with liquid nitrogen to pre-cool and reach thermal equilibrium and the liquid nitrogen filling rate reaches 100% under standard atmospheric condition.

Accessories

Caster Base	Cryogenic Box	216 Diameter Lock Cap	5 ml Customized Rank
5 ml Customized Cryogenic Box	SmartCap	Square Rack	Smart Box (SW-300)

Product List


Model	Product	Model	Description and Accessories
YDS-65-216	Liquid Nitrogen Container	YDS-65-216-F	Includes 6 racks (4 layers), 9*9 cryoboxes, lockable cap, no protective jacket, roller base is optional
	Liquid Nitrogen Container	YDS-65-216	Includes lockable cap, no rack, no Protective jacket
	Rack	FTT-81-4	Used to store 2ml cryo boxes (9*9), 4 layers in total, 9*9 cryo boxes included, suitable for YDS-65-216 (plastic cryo boxes included)
	Roller Base	YSC-M(2019)	Suitable for all 65L-175L aluminium tank, equipped with 5 universal wheels
	Smart Cap	LT-216-340	Used to monitor level and temperature for containers with 216mm neck opening, data can be transmitted to cloud platform, suitable for YDS-65-216
	Cork (216)	GS175-216	Suitable for all aluminium tank with neck opening 216mm
	Lockable Cap	SG-216	Suitable for container with 216mm neck opening
YDS-95-26	Liquid Nitrogen Container	YDS-95-216-F (5.0)	Includes 6 racks for 5ml, 2 layers in total, 12pcs of 5ml 9*9 cryo boxes and lockable cap included, no protective jacket, roller base is optional
	Liquid Nitrogen Container	YDS-95-216-F	Includes 6 racks (5 layers), 9*9 cryoboxes, lockable cap, no protective jacket, roller base is optional
	Liquid Nitrogen Container	YDS-95-216	Includes lockable cap, no rack, no protective jacket
	Rack	FTT-81-5	Used to store 2ml cryo boxes (9*9), 5 layers in total, 9*9 cryo boxes included, suitable for YDS-95-216\YDS-25H-216 (plastic cryo boxes included)
	Rack	FTT-81-2 (5.0)	Used to store 5ml cryo boxes (9*9), 2 layers in total, 9*9 cryo boxes included, suitable for YDS-65-216\95-216 (plastic cryo boxes included)
	Roller Base	YSC-M(2019)	Suitable for all 65L-175L aluminium tank, equipped with 5 universal wheels
	Smart Cap	LT-216-370	Used to monitor level and temperature for containers with 216mm neck opening, data can be transmitted to cloud platform, suitable for YDS-95-216
	Cork (216)	GS175-216	Suitable for all aluminium tank with neck opening 216mm
	Lockable Cap	SG-216	Suitable for container with 216mm neck opening
YDS-115-216	Liquid Nitrogen Container	YDS-115-216-F (5.0)	Includes 6 racks for 5ml, 3 layers in total, 18pcs of 5ml 9*9 cryo boxes and lockable cap included, no protective jacket, roller base is optional
	Liquid Nitrogen Container	YDS-115-216-F	Includes 6 racks (6 layers), 9*9 cryoboxes, lockable cap, no protective jacket, roller base is optional
	Liquid Nitrogen Container	YDS-115-216	Includes lockable cap, no rack, no protective jacket
	Rack	FTT-81-6	Used to store 2ml cryo boxes (9*9), 6 layers in total, 9*9 cryo boxes included, suitable for YDS-115-216 (plastic cryo boxes included)
	Rack	FTT-81-3 (5.0)	Used to store 5ml cryo boxes (9*9), 3 layers in total, 9*9 cryo boxes included, suitable for YDS-115-216 (plastic cryo boxes included)
	Roller Base	YSC-M(2019)	Suitable for all 65L-175L aluminium tank, equipped with 5 universal wheels
	Smart Cap	LT-216-450	Used to monitor level and temperature for containers with 216mm neck opening, data can be transmitted to cloud platform, suitable for YDS-115-216
	Cork (216)	GS175-216	Suitable for all aluminium tank with neck opening 216mm
	Lockable Cap	SG-216	Suitable for container with 216mm neck opening
YDS-140-216	Liquid Nitrogen Container	YDS-140-216-F (5.0)	Includes 6 racks for 5ml, 4 layers in total, 24pcs of 5ml 9*9 cryo boxes and lockable cap included, no protective jacket, roller base is optional
	Liquid Nitrogen Container	YDS-140-216-F	Includes 6 racks (8 layers), 9*9 cryoboxes, lockable cap, no protective jacket, roller base is optional
	Liquid Nitrogen Container	YDS-140-216	Includes lockable cap, no rack, no protective jacket
	Rack	FTT-81-8	Used to store 2ml cryo boxes (9*9), 8 layers in total, 9*9 cryo boxes included, suitable for YDS-145-216 (plastic cryo boxes included)
	Rack	FTT-81-4 (5.0)	Used to store 5ml cryo boxes (9*9), 4 layers in total, 9*9 cryo boxes included, suitable for YDS-145-216 (plastic cryo boxes included)
	Roller Base	YSC-M(2019)	Suitable for all 65L-175L aluminium tank, equipped with 5 universal wheels
	Smart Cap	LT-216-570	Used to monitor level and temperature for containers with 216mm neck opening, data can be transmitted to cloud platform, suitable for YDS-145-216
	Cork (216)	GS175-216	Suitable for all aluminium tank with neck opening 216mm
	Lockable Cap	SG-216	Suitable for container with 216mm neck opening

Product List


Model	Product	Model	Description and Accessories
YDS-175-216	Liquid Nitrogen Container	YDS-175-216-F (5.0)	Includes 6 racks for 5ml, 5 layers in total, 30pcs of 5ml 9*9 cryo boxes and lockable cap included, no protective jacket, roller base is optional
	Liquid Nitrogen Container	YDS-175-216-F	Includes 6 racks (10 layers), 9*9 cryoboxes, lockable cap, no protective jacket, roller base is optional
	Liquid Nitrogen Container	YDS-175-216	Includes lockable cap, no rack, no protective jacket
	Rack	FTT-81-10	Used to store 2ml cryo boxes (9*9), 10 layers in total, 9*9 cryo boxes included, suitable for YDS-175-216 (plastic cryo boxes included)
	Rack	FTT-81-5 (5.0)	Used to store 5ml cryo boxes (9*9), 5 layers in total, 9*9 cryo boxes included, suitable for YDS-175-216 (plastic cryo boxes included)
	Roller Base	YSC-M(2019)	Suitable for all 65L-175L aluminium tank, equipped with 5 universal wheels
	Smart Cap	LT-216-670	Used to monitor level and temperature for containers with 216mm neck opening, data can be transmitted to cloud platform, suitable for YDS-175-216 / competitors' products
Other Racks	Cork (216)	GS175-216	Suitable for all aluminium tank with neck opening 216mm
	Lockable Cap	SG-216	Suitable for container with 216mm neck opening
	Blood Bag Rack	DCJ-250-1FT6	Used to store 250ml blood bag, 7 bags per layer, 1 layer in total, blood bag cryo boxes included, suitable for YDS-95-216 (6 racks)
	Blood Bag Rack	DCJ-250-1T30	Used to store 250ml blood bag, 1 bag per layer, 1 layer in total, blood bag cryo boxes included, suitable for YDS-95-216 (30 racks)
	Blood Bag Rack	DCJ-250-2FT6	Used to store 250ml blood bag, 7 bags per layer, 2 layers in total, blood bag cryo boxes included, suitable for YDS-175-216 (6 racks)
	Blood Bag Rack	DCJ-250-2T30	Used to store 250ml blood bag, 7 bags per layer, 2 layers in total, blood bag cryo boxes included, suitable for YDS-175-216 (6 racks)
	Blood Bag Rack	DCJ-50-1FT6	Used to store 50ml blood bag, 14 bags per layer, 1 layer in total, blood bag cryo boxes included, suitable for YDS-95-216 (6 racks)
	Blood Bag Rack	DCJ-50-2T30	Used to store 50ml blood bag, 1 bag per layer, 2 layers in total, blood bag cryo boxes included, suitable for YDS-95-216 (30 racks)
	Blood Bag Rack	DCJ-50-3T30	Used to store 50ml blood bag, 1 bag per layer, 3 layers in total, blood bag cryo boxes included, suitable for YDS-115-216 (30 racks)
	Blood Bag Rack	DCJ-50-2FT6	Used to store 50ml blood bag, 14 bags per layer, 2 layers in total, blood bag cryo boxes included, suitable for YDS-115-216 (6 racks)
	Blood Bag Rack	DCJ-50-4T30	Used to store 50ml blood bag, 1 bag per layer, 4 layers in total, blood bag cryo boxes included, suitable for YDS-145-216 (30 racks)
	Blood Bag Rack	DCJ-50-3FT6	Used to store 50ml blood bag, 14 bags per layer, 3 layers in total, blood bag cryo boxes included, suitable for YDS-175-216 (6 racks)
	Blood Bag Rack	DCJ-50-5T30	Used to store 50ml blood bag, one bag per layer, 5 layers in total, blood bag cryo boxes included, suitable for YDS-175-216 (30 racks)
	Rack (vertical type)	FDCJ-81-6 (115)	Used to store 2ml cryo boxes (9*9), 6 layers in total, suitable for YDS-115-216 (plastic cryoboxes included)
	Rack (vertical type)	FDCJ-81-8 (145)	Used to store 2ml cryo boxes (9*9), 8 layers in total, suitable for YDS-145-216 (plastic cryoboxes included)
	Rack (vertical type)	FDCJ-81-10 (175)	Used to store 2ml cryo boxes (9*9), 10 layers in total, suitable for YDS-175-216 (plastic cryoboxes included)

Biological Sample Library-YDS Series


Storage Example of 2ml Internally Threaded Vial




Storage Example of Tall 5ml cryovials



Blood Bag Storage Example



Straw Storage Example



Small Sized Storage Series (Square Racks)

Widely used within many laboratories, this small-sized storage series features low LN₂ consumption and dual handle design. Stores between 600 and 1100 vials in square racks and cryo boxes.

- 5 Year Vacuum Warranty
- High Thermal Efficiency
- Lightweight
- 30 Litre to 50 Litre Capacity
- Durable
- Secure
- Super-Insulation
- Ideal for Lab Applications



Key Features

- Heavy duty lockable enclosure offers excellent security
 - Strong, lightweight aluminium construction
 - Dual handles
 - Temperature monitoring available
- Roller bases available
 - High thermal efficiency
 - 5 year vacuum warranty
 - Ultra-low LN₂ evaporation loss

Product Advantages

Low LN₂ Consumption and Maximum Storage Efficiency

Haier Small Sized Storage Series (Square Racks) Liquid Nitrogen Storage System features low LN₂ consumption and small storage capacity for laboratory applications. The lightweight tanks have a smaller footprint whilst providing maximum efficiency of cryogenic storage capacity.

Advanced Vacuum Technology and Super-insulation Technology

Advanced vacuum and insulation technologies provide ultra-low liquid nitrogen evaporation loss and ensure up to three months cryogenic storage.

Three Models Available

Small Sized Storage Series (Square Racks) offers three models with different capacity from 600, 750 to 1100 standard 2 ml cryovials. All models are supplied with stainless steel racks and cryogenic boxes.

Accessories



Technical Parameters

Model	YDS-10-125	YDS-30-125	YDS-35-125	YDS-47-127	YDS-50B-125
Maximum Storage Capacity					
No. of Rack	1	6	6	6	6
1.2&2 ml Cryovials (25 per box)	100	600	750	1110	900
No. of Boxes in (Rack)	4	4	5	5	6
Performance					
Volume of LN ₂ (L)	10	31.5	35.5	47	50
Static Evaporation* (L/Day)	0.42	0.35	0.36	0.36	0.45
Static Holding Time** (Day)	24	90	97	130	110
Dimensions					
Opening Diameter (mm)	125	125	125	127	125
Height (mm)	625	704	748	718	818
Outside Diameter (mm)	300	462	462	508	462
Empty Weight (kg)	6.3	13	14.5	18.2	17.3
Gross Weight (kg)	15.1	38.9	43.2	60.9	62.4
Shipping Weight (kg)	9.6	19.3	21.9	30.7	30.3

* Static evaporation and static holding time are theoretical values. Actual evaporation and holding time are affected by usage, atmospheric conditions, and manufacturing tolerances.
** Static Holding Time: the amount of days it takes for all of the LN to evaporate out after container is filled with liquid nitrogen to pre-cool and reach thermal equilibrium and the liquid nitrogen filling rate reaches 100% under standard atmospheric condition.

Product List

* All models with F- suffix are supplied with stainless steel racks and cryo boxes.

Model	Product	Model	Description and Accessories
YDS-10-125	Liquid Nitrogen Container	YDS-10-125	No canister; no protective jacket; no lockable cap; equipped with braces for carrying
	Liquid Nitrogen Container	YDS-10-125-F	Include 1 square rack with 4 layers and 5*5 cryobox; lockable cap; no protective jacket
	Rack	FTT-25-4	Used to store 2ml cryo boxes (5*5), 4 layers in total, 5*5 cryo boxes included, suitable for YDS-30-125 / YDS-10-125 (plastic cryo boxes included)
	Canister (TT97)	TT10H-125	Φ97 single tier canister, no goblet, suitable for YDS-10-125, YDH-10-125
	Cork (125)	GS10-125	Suitable for YDS-10-125, YDS-10H-125, YDS-50B-125
	Lockable Cap	SG-125	Suitable for container with 125mm neck opening
YDS-30-125	Liquid Nitrogen Container	YDS-30-125-F	Includes 6 racks with 4 layers, 5*5 cryoboxes, lockable cap and protective jacket, roller base is optional.
	Liquid Nitrogen Container	YDS-30-125	Includes protective jacket only, roller base is optional
	Rack	FTT-25-4	Used to store 2ml cryo boxes (5*5), 4 layers in total, 5*5 cryo boxes included, suitable for YDS-30-125 / YDS-10-125 (plastic cryo boxes included)
	Canister (TT97)	TT30-125	Φ97 single tier canister, no goblet, suitable for YDS-30-125
	Roller Base	YSC-S (2019)	Suitable for all 30L / 35L / 50L aluminium tank, equipped with 5 universal wheels
	SmartCap	LT-125-370	Used to monitor level and temperature for containers with 125mm neck opening, data can be transmitted to cloud platform, suitable for YDS-20-125 / YDS-30-125
	Cork (125)	GS20-125	Suitable for YDS-30-125, YDS-35-125, YDS-47-127, YDS-35B-125
	Lockable Cap	SG-125	Suitable for container with 125mm neck opening

Product List

Model	Product	Model	Description and Accessories
YDS-35-125	Liquid Nitrogen Container	YDS-35-125-6YS	Includes 6 canisters (height 276mm), lockable cap and protective jacket, roller base is optional
	Liquid Nitrogen Container	YDS-35-125-F	Includes 6 racks with 5 layers, 5*5 cryoboxes, lockable cap and protective jacket, roller base is optional.
	Liquid Nitrogen Container	YDS-35-125	Includes protective jacket only, roller base is optional
	Rack	FTT-25-5	Used to store 2ml cryo boxes (5*5), 5 layers in total, 5*5 cryo boxes included, suitable for YDS-35-125, YDS-47-127 (plastic cryo boxes included)
	Canister (TT97)	TT35-125	Φ97 single tier canister, no goblet, suitable for YDS-35-125
	Canister (TTS97)	TTS35-125	Φ97 double-tier canister, 2 goblets included, suitable for YDS-35-125
	Roller Base	YSC-S (2019)	Suitable for all 30L / 35L / 50L aluminium tank, equipped with 5 universal wheels
	SmartCap	LT-125-400	Used to monitor level and temperature for containers with 125mm neck opening, data can be transmitted to cloud platform, suitable for YDS-25-125 / YDS-35-125 / competitors' products
	Cork (125)	GS20-125	Suitable for YDS-30-125, YDS-35-125, YDS-47-127, YDS-35B-125
YDS-47-127	Lockable Cap	SG-125	Suitable for container with 125mm neck opening
	Liquid Nitrogen Container	YDS-47-127-6YS	Includes 6 round rack with 5 layers (37 holes) and lockable cap, no protective jacket, roller base is optional
	Liquid Nitrogen Container	YDS-47-127	Includes 10 canisters (Φ 72 / 276mm) and lockable cap, no protective jacket, roller base is optional
	Round Rack (Y98-37)	TT47-127-5	Φ 98 round rack used to store 37 vials (2ml), 5 tiers in total, suitable for YDS-47-127-6Y
	Canister (TTS72)	TTS47-127-10T	Φ 72, height 276mm double-tier canister, 2 goblets included, suitable for YDS-47-127-10T
	Roller Base	YSC-47L	Suitable for all 47L Aluminium tank, equipped with 5 universal wheels
	SmartCap	LT-127-370-10	Used to monitor level and temperature for containers with 125mm neck opening, data can be transmitted to cloud platform, suitable for YDS-47-127-10T / competitors' products
	SmartCap	LT-127-400	Used to monitor level and temperature for containers with 125mm neck opening, data can be transmitted to cloud platform, suitable for YDS-47-127-6Y / YDS-47-127 / competitors' products
	Cork (125)	GS20-125	Suitable for YDS-30-125, YDS-35-125, YDS-47-127, YDS-35B-125
YDS-50B-125	Cork (125)	GS47-127-10T	Suitable for YDS-47-127-10T
	Lockable Cap	SG-125	Suitable for container with 125mm neck opening
	Liquid Nitrogen Container	YDS-50B-125-F	Includes 6 racks with 6 layers, 5*5 cryoboxes, lockable cap and protective jacket, roller base is optional.
	Liquid Nitrogen Container	YDS-50B-125-S	Includes 6 canisters (Φ 97 / 276mm), lockable cap and protective jacket, roller base is optional
	Liquid Nitrogen Container	YDS-50B-125	Includes protective jacket only, roller base is optional
	Rack	FTT-25-6	Used to store 2ml cryo boxes (5*5), 6 layers in total, 5*5 cryo boxes included, suitable for YDS-50B-125 (plastic cryo boxes included)
	Canister (TT97)	TT50-125	Φ97 single tier canister, no goblet, suitable for YDS-50B-125
	Canister (TTS97)	TTS50-125	Φ97 double-tier canister, 2 goblets included, suitable for YDS-50B-125
	Roller Base	YSC-S (2019)	Suitable for all 30L / 35L / 50L aluminium tank, equipped with 5 universal wheels
	SmartCap	LT-125-500	Used to monitor level and temperature for containers with 125mm neck opening, data can be transmitted to cloud platform, suitable for YDS-50-125
	Cork (125)	GS10-125	Suitable for YDS-10-125, YDS-10H-125, YDS-50B-125
	Lockable Cap	SG-125	Suitable for container with 125mm neck opening

Product Description

SmartCap is a low energy consumption IoT-based module that can monitor liquid nitrogen level and temperature in a liquid nitrogen tank. It is suitable for aluminium alloy liquid nitrogen tanks with opening port size of 50 mm, 80 mm, 125 mm, 216 mm. The built-in high efficiency lithium battery can operate the device for more than two years.



SmartCap

Product Characteristics



Independent, high accuracy measuring system for liquid level and temperature



Real time display of fluid level and temperature, alarm setting via phone message, email, and wechat




Wireless transmission of fluid level and temperature data to a data interrupter



Fluid level and temperature data uploaded remotely to cloud terminals for recording, printing, and storage



Built-in high efficiency lithium battery for longevity



The SmartCap collects liquid level data and temperature data and transmits the information to cloud data store wirelessly, via 2.4G at a fixed interval every 10 minutes. Users can login in Haier's U-cool monitoring platform to check the real-time data and set to transmit the data to email and wechat.

Product List

Model	Product	Model	Description and Accessories
Smart Cap	SmartCap	LT-50-220	Used to monitor level and temperature for containers with 50mm neck opening, data can be transmitted to cloud platform, suitable for YDS-3 / YDS-6
	SmartCap	LT-50-280	Used to monitor level and temperature for containers with 50mm neck opening, data can be transmitted to cloud platform, suitable for YDS-10 / YDS-15
	SmartCap	LT-50-370	Used to monitor level and temperature for containers with 50mm neck opening, data can be transmitted to cloud platform, suitable for YDS-13 / YDS-20 / YDS-30
	SmartCap	LT-50-400	Used to monitor level and temperature for containers with 50mm neck opening, data can be transmitted to cloud platform, suitable for YDS-35
	SmartCap	LT-50-450	Used to monitor level and temperature for containers with 50mm neck opening, data can be transmitted to cloud platform, suitable for YDS-25 any make of tank with 50mm opening.
	SmartCap	LT-50-500	Used to monitor level and temperature for containers with 50mm neck opening, data can be transmitted to cloud platform, suitable for YDS-50
	SmartCap	LT-80-220	Used to monitor level and temperature for containers with 80mm neck opening, data can be transmitted to cloud platform, suitable for YDS-6-80
	SmartCap	LT-80-280	Used to monitor level and temperature for containers with 80mm neck opening, data can be transmitted to cloud platform, suitable for YDS-10-80/YDS-15-80
	SmartCap	LT-80-370	Used to monitor level and temperature for containers with 80mm neck opening, data can be transmitted to cloud platform, suitable for YDS-20-80/YDS-30-80
	SmartCap	LT-80-400	Used to monitor level and temperature for containers with 80mm neck opening, data can be transmitted to cloud platform, suitable for YDS-35-80
	SmartCap	LT-80-450	Used to monitor level and temperature for containers with 80mm neck opening, data can be transmitted to cloud platform, suitable for YDS-25-80
	SmartCap	LT-80-500	Used to monitor level and temperature for containers with 80mm neck opening, data can be transmitted to cloud platform, suitable for YDS-50-80
	SmartCap	LT-125-280	Used to monitor level and temperature for containers with 125mm neck opening, data can be transmitted to cloud platform, suitable for YDS-10-125/YDS-15-125
	SmartCap	LT-125-340	Used to monitor level and temperature for containers with 125mm neck opening, data can be transmitted to cloud platform, suitable for any make of tank with 125mm opening.
	SmartCap	LT-125-370	Used to monitor level and temperature for containers with 125mm neck opening, data can be transmitted to cloud platform, suitable for YDS-20-125/YDS-30-125
	SmartCap	LT-125-400	Used to monitor level and temperature for containers with 125mm neck opening, data can be transmitted to cloud platform, suitable for YDS-25-125/YDS-35-125/competitors' products
	SmartCap	LT-125-500	Used to monitor level and temperature for containers with 125mm neck opening, data can be transmitted to cloud platform, suitable for YDS-50-125
	SmartCap	LT-127-370-10	Used to monitor level and temperature for containers with 125mm neck opening, data can be transmitted to cloud platform, suitable for YDS-47-127-10/any make of tank with 125mm opening.
	SmartCap	LT-127-400	Used to monitor level and temperature for containers with 125mm neck opening, data can be transmitted to cloud platform, suitable for YDS-47-127-6YDS-47-127/any make of tank with 125mm opening.
	SmartCap	LT-200-340	Used to monitor level and temperature for containers with 200mm neck opening, data can be transmitted to cloud platform, suitable for any make of tank with 200mm opening
	SmartCap	LT-200-370	Used to monitor level and temperature for containers with 200mm neck opening, data can be transmitted to cloud platform, suitable for any make of tank with 200mm opening
	SmartCap	LT-200-450	Used to monitor level and temperature for containers with 200mm neck opening, data can be transmitted to cloud platform, suitable for any make of tank with 200mm opening
	SmartCap	LT-216-340	Used to monitor level and temperature for containers with 216mm neck opening, data can be transmitted to cloud platform, suitable for YDS-65-216
	SmartCap	LT-216-340-4	Used to monitor level and temperature for containers with 216mm neck opening, data can be transmitted to cloud platform, suitable for any make of tank with 200mm opening
	SmartCap	LT-216-370	Used to monitor level and temperature for containers with 216mm neck opening, data can be transmitted to cloud platform, suitable for YDS-95-216
	SmartCap	LT-216-450	Used to monitor level and temperature for containers with 216mm neck opening, data can be transmitted to cloud platform, suitable for YDS-115-216
	SmartCap	LT-216-570	Used to monitor level and temperature for containers with 216mm neck opening, data can be transmitted to cloud platform, suitable for YDS-145-216
	SmartCap	LT-216-670	Used to monitor level and temperature for containers with 216mm neck opening, data can be transmitted to cloud platform, suitable for YDS-175-216/any make of tank with 216mm opening.
Accessories	Smart Box	SW-300	Date transferred with WIFI network connected, required for International users (outside China)

High Capacity Series for Storage or Transport (Round Canisters)

High Capacity Series for Storage or Transport (Round Canisters) provides two cryopreservation solutions for long-term static storage and transportation of biological samples.

- Numbered Index Canister Locations
 - High Capacity
 - High Thermal Efficiency
 - 5 Year Vacuum Warranty
 - Extended Hold Time
- LN₂ Dispenser
 - Round Canisters for Straw Storage
 - Lockable
 - Roller Bases Available



Key Features

- Strong and lightweight aluminium construction
 - Heavy duty lockable enclosure offers excellent security
 - Numbered index location points for canisters
 - Straw storage
 - LN₂ dispense pump available
- Roller bases available
 - High thermal efficiency
 - 5 year vacuum warranty
 - Ultra-low evaporation loss

Product Advantages

Narrow neck design and excellent thermal conductivity reduces evaporation loss of liquid nitrogen to extend storage times.

Large-capacity models have wider necks for easy access to biological samples.



Long-term cryopreservation models have narrower necks with less heat intrusion.

Technical Parameters

Model		YDS-2-30	YDS-3	YDS-6	YDS-10	YDS-10-80
Maximum Capacity	No. of Canister	3 (3)	6 (0)	6 (0)	6 (0)	6 (0)
	No. of Straws (Single Layer) (0.5ml each canister)	90	792	792	792	2244
	No. of Straws (Single Layer) (0.25ml each canister)	204	1788	1788	1788	5022
	No. of Straws (Double Layer) (0.5ml each canister)	—	—	—	—	—
	No. of Straws (Double Layer) (0.25ml each canister)	—	—	—	—	—
Performance	Volume of LN ₂ (L)	2	3	6	10	10
	Static Evaporation* (L/Day)	0.07	0.12	0.12	0.12	0.21
	Static Holding Time** (Day)	28	26	52	86	48
Dimensions	Opening Diameter (mm)	30	50	50	50	80
	Height (mm)	399	435	482	552	557
	Outside Diameter (mm)	223	223	300	300	300
	Canister Outside Diameter (mm)	19	38	38	38	63
	Outside Height (mm)	120	120	120	120	120
	Empty Weight (kg)	2.8	3.1	4.8	6.1	6.2
	Gross Weight (kg)	4.5	6	9.9	14.5	14.7
	Shipping Weight (kg)	5.1	5.8	8	9	9.3

Model		YDS-10-125	YDS-13	YDS-15	YDS-20	YDS-30
Maximum Capacity	No. of Canister	1 (0)	6 (0)	6 (0)	6 (0)	6 (0)
	No. of Straws (Single Layer) (0.5ml each canister)	854	—	792	792	792
	No. of Straws (Single Layer) (0.25ml each canister)	1940	—	1788	1788	1788
	No. of Straws (Double Layer) (0.5ml each canister)	—	1284	—	1284	1284
	No. of Straws (Double Layer) (0.25ml each canister)	—	2832	—	2832	2832
Performance	Volume of LN ₂ (L)	10	13	15	20	30
	Static Evaporation* (L/Day)	0.43	0.12	0.11	0.12	0.12
	Static Holding Time** (Day)	24	109	134	168	254
Dimensions	Opening Diameter (mm)	125	50	50	50	50
	Height (mm)	625	623	591	672	705
	Outside Diameter (mm)	300	310	394	394	462
	Canister Outside Diameter (mm)	97	38	38	38	38
	Outside Height(mm)	120	276	120	120/276	120/276
	Empty Weight (kg)	6.3	6.3	8.5	9.5	12.9
	Gross Weight (kg)	15.1	17.3	20.5	28.1	36.6
	Shipping Weight (kg)	8.6	11	13	15	18

Model		YDS-30-80	YDS-30-125	YDS-35	YDS-35-80	YDS-35-125	YDS-47-127
Maximum Capacity	No. of Canister	6 (0)	6 (0)	6 (0)	6 (0)	6 (0)	10 (10)
	No. of Straws (Single Layer) (0.5ml each canister)	2244	5124	792	2244	5124	6714
	No. of Straws (Single Layer) (0.25ml each canister)	5022	11952	1788	5022	11640	14070
	No. of Straws (Double Layer) (0.5ml each canister)	3624	—	1284	3624	9048	10704
	No. of Straws (Double Layer) (0.25ml each canister)	8460	—	2832	8460	20760	23604
Performance	Volume of LN ₂ (L)	30	30	35	35	35	47
	Static Evaporation* (L/Day)	0.21	0.35	0.12	0.22	0.37	0.36
	Static Holding Time** (Day)	147	90	286	159	97	130
Dimensions	Opening Diameter (mm)	80	125	50	80	125	127
	Height (mm)	709	704	749	753	748	718
	Outside Diameter (mm)	462	462	462	462	462	508
	Canister Outside Diameter (mm)	63	97	38	63	97	72
	Outside Height (mm)	120/276	120	120/276	120/276	120/276	276
	Empty Weight (kg)	13	13	14.2	14.5	14.6	18.2
	Gross Weight (kg)	37	38.9	42.7	42.9	43.2	54
	Shipping Weight (kg)	18.3	19.3	20	20.7	22	28

Model		YDS-20B	YDS-30B	YDS-35B
Maximum Capacity	No. of Canister	6 (0)	6 (0)	6 (0)
	No. of Straws (Single Layer) (0.5ml each canister)	792	792	792
	No. of Straws (Single Layer) (0.25ml each canister)	1788	1788	1788
	No. of Straws (Double Layer) (0.5ml each canister)	1284	1284	1284
	No. of Straws (Double Layer) (0.25ml each canister)	2832	2832	2832
Performance	Volume of LN ₂ (L)	20	30	35
	Static Evaporation* (L/Day)	0.2	0.2	0.2
	Static Holding Time** (Day)	101	159	179
Dimensions	Opening Diameter (mm)	50	50	50
	Height (mm)	672	705	749
	Outside Diameter (mm)	394	462	462
	Canister Outside Diameter (mm)	38	38	38
	Outside Height (mm)	120/276	120/276	120/276
	Empty Weight (mm)	9.5	12.9	14.2
	Gross Weight (mm)	27.9	37.1	42.8
	Shipping Weight (mm)	15.1	18.3	20.1

Model		YDS-35B-80	YDS-35B-125	YDS-50B	YDS-50B-125
Maximum Capacity	No. of Canister	6 (0)	6 (0)	6 (0)	6 (0)
	No. of Straws (Single Layer) (0.5ml each canister)	2244	5124	792	5124
	No. of Straws (Single Layer) (0.25ml each canister)	5022	11640	1788	11640
	No. of Straws (Double Layer) (0.5ml each canister)	3624	9048	1284	9048
	No. of Straws (Double Layer) (0.25ml each canister)	8460	20760	2832	20760
Performance	Volume of LN ₂ (L)	35	35	50	50
	Static Evaporation* (L/Day)	0.3	0.41	0.24	0.45
	Duration of Normal Operation** (Day)	119	86	213	110
Dimensions	Opening Diameter (mm)	80	125	50	125
	Height (mm)	753	748	810	817
	Outside Diameter (mm)	462	462	462	462
	Canister Outside Diameter (mm)	63	97	38	97
	Outside Height (mm)	120/276	120/276	120/276	120/276
	Empty Weight (kg)	14.5	14.6	17.2	17.3
	Gross Weight (kg)	43	43.5	60.3	62
	Shipping Weight (kg)	20.7	22	24	25.4

† A(B): A for maximum number of canisters, B for number of canisters in standard configuration

*Static evaporation and static holding time are theoretical values. Actual evaporation and holding time are affected by usage, atmospheric conditions, and manufacturing tolerances.

**Static Holding Time: the amount of days it takes for all of the LN to evaporate out after container is filled with liquid nitrogen to pre-cool and reach thermal equilibrium and the liquid nitrogen filling rate reaches 100% under standard atmospheric condition.

Vials Cane Specification

Canister	Height 120mm, Diameter 38mm (50mm neck)		
Vials	Canes/Canister	Vials/Cane	Vials/Canister
0.5ml	4	3	12
1.5ml	4	3	12
2ml	4	3	12
3ml	4	3	12
5ml	4	1	4

Canister	Height 120mm, Diameter 63mm (80mm neck)		
Vials	Canes/Canister	Vials/Cane	Vials/Canister
0.5ml	16	3	48
1.5ml	16	3	48
2ml	16	3	48
3ml	16	3	48
5ml	16	1	16

Canister	Height 120mm, Diameter 72mm (127mm neck)		
Vials	Canes/Canister	Vials/Cane	Vials/Canister
0.5ml	21	3	63
1.5ml	21	3	63
2ml	21	3	63
3ml	21	3	63
5ml	21	1	21

Canister	Height 120mm, Diameter 97mm (125mm neck)		
Vials	Canes/Canister	Vials/Cane	Vials/Canister
0.5ml	—	—	—
1.5ml	40	3	120
2ml	40	3	120
3ml	40	3	120
5ml	40	1	40

Canister	Height 120mm, Diameter 104mm (127mm neck)		
Vials	Canes/Canister	Vials/Cane	Vials/Canister
0.5ml	—	—	—
1.5ml	46	3	138
2ml	46	3	138
3ml	46	3	138
5ml	46	1	46

Canister	Height 276mm, Diameter 38mm (50mm neck)		
Vials	Canes/Canister	Vials/Cane	Vials/Canister
0.5ml	4	6	24
1.5ml	4	6	24
2ml	4	6	24
3ml	4	6	24
5ml	4	3	12

Canister	Height 276mm, Diameter 63mm (80mm neck)		
Vials	Canes/Canister	Vials/Cane	Vials/Canister
0.5ml	16	6	96
1.5ml	16	6	96
2ml	16	6	96
3ml	16	6	96
5ml	16	3	48

Canister	Height 276mm, Diameter 72mm (127mm neck)		
Vials	Canes/Canister	Vials/Cane	Vials/Canister
0.5ml	21	6	126
1.5ml	21	6	126
2ml	21	6	126
3ml	21	6	126
5ml	21	3	63

Canister	Height 276mm, Diameter 97mm (125mm neck)		
Vials	Canes/Canister	Vials/Cane	Vials/Canister
0.5ml	—	—	—
1.5ml	40	6	240
2ml	40	6	240
3ml	40	6	240
5ml	40	3	120

Canister	Height 276mm, Diameter 104mm (127mm neck)		
Vials	Canes/Canister	Vials/Cane	Vials/Canister
0.5ml	—	—	—
1.5ml	46	6	276
2ml	46	6	276
3ml	46	6	276
5ml	46	3	138

Accessories



Product List

Model	Product	Model	Description and Accessories
YDS-2-30	Liquid Nitrogen Container	YDS-2-30	Includes 3 canisters, lockable cap and protective jacket
	Canister (TT19)	TT2-30	Φ19 single tier canister, without goblets, suitable for YDS-2-30
	Cork (30)	GS2-30	Suitable for YDS-2-30
	Lockable Cap	SG-30	Suitable for container with 30mm neck opening, suitable for YDS-2-30
YDS-2-35	Liquid Nitrogen Container	YDS-2-35	Includes 3 canisters, lockable cap and braces for carrying, no protective jacket
	Canister (TT25)	TT2-35	Φ25 single tier canister, without goblets, suitable for YDS-2-35
	Cork (30)	GS2-35	Suitable for YDS-2-35
	Lockable Cap	SG-35	Suitable for container with 35mm neck opening, suitable for YDS-2-35
YDS-3	Liquid Nitrogen Container	YDS-3YS	Includes 6 canisters (height 120mm), lockable cap and protective jacket
	Liquid Nitrogen Container	YDS-3 (2019)	Includes protective jacket only
	Canister (TT38)	TT3-50	Φ38 single tier canister, without goblets, suitable for YDS-3
	Cork (50)	GS10-50	Suitable for YDS-3 / YDS-3H / YDS-6 / YDS-10 / YDS-13 / YDS-25 / YDS-50B
	Lockable Cap	SG-50	Suitable for container with 50mm neck opening
YDS-6	Liquid Nitrogen Container	YDS-6YS	Includes 6 canisters (height 120mm), lockable cap and protective jacket
	Liquid Nitrogen Container	YDS-6	Includes protective jacket only
	Canister (TT38)	TT6-50	Φ38 single tier canister, without goblets, suitable for YDS-6
	Cork (50)	GS10-50	Suitable for YDS-3 / YDS-3H / YDS-6 / YDS-10 / YDS-13 / YDS-25 / YDS-50B
	Lockable Cap	SG-50	Suitable for container with 50mm neck opening
YDS-10	Liquid Nitrogen Container	YDS-10YS	Includes 6 canisters (height 120mm), lockable cap and protective jacket
	Liquid Nitrogen Container	YDS-10	Includes protective jacket only
	Canister (TT38)	TT10-50	Φ38 single tier canister, without goblets, suitable for YDS-10
	Cork (50)	GS10-50	Suitable for YDS-3 / YDS-3H / YDS-6 / YDS-10 / YDS-13 / YDS-25 / YDS-50B
	Lockable Cap	SG-50	Suitable for container with 50mm neck opening
YDS-10-80	Liquid Nitrogen Container	YDS-10-80-6YS	Includes 6 canisters (height 120mm), lockable cap and protective jacket
	Liquid Nitrogen Container	YDS-10-80	Includes protective jacket only
	Canister (TT63)	TT10-80	Φ63 single tier canister, without goblets, suitable for YDS-10-80
	Cork (80)	GS10-80	Suitable for YDS-6H-80 / YDS-8H-80 / YDS-10-80
	Lockable Cap	SG-80	Suitable for container with 80mm neck opening
YDS-13	Liquid Nitrogen Container	YDS-13YS	Includes 6 canisters (height 276mm), lockable cap and protective jacket
	Liquid Nitrogen Container	YDS-13	Includes protective jacket only
	Canister (TTS38)	TTS13-50	Φ38 double-tier canister, 2 goblets included, suitable for YDS-13
	Cork (50)	GS10-50	Suitable for YDS-3 / YDS-3H / YDS-6 / YDS-10 / YDS-13 / YDS-25 / YDS-50B
	Lockable Cap	SG-50	Suitable for container with 50mm neck opening

Product List

Model	Product	Model	Description and Accessories
YDS-15	Liquid Nitrogen Container	YDS-15YS	Includes 6 canisters (height 120mm), lockable cap and protective jacket
	Liquid Nitrogen Container	YDS-15	Includes protective jacket only
	Canister (TT38)	TT15-50	Φ38 single tier canister, without goblets, suitable for YDS-15
	Cork (50)	GS20-50	Suitable for YDS-15 / YDS-20 / YDS-30 / YDS-35 / YDS-20B / YDS-30B / YDS-35B
	Lockable Cap	SG-50	Suitable for container with 50mm neck opening
YDS-20	Liquid Nitrogen Container	YDS-20-6YS	Includes 6 canisters (height 276mm), lockable cap and protective jacket
	Liquid Nitrogen Container	YDS-20YS	Includes 6 canisters (height 120mm), lockable cap and protective jacket
	Liquid Nitrogen Container	YDS-20	Includes protective jacket only
	Canister (TT38)	TT30-50	Φ38 single tier canister, without goblets, suitable for YDS-20 / YDS-30
	Canister (TTS38)	TTS30-50	Φ38 double-tier canister, 2 goblets included, suitable for YDS-20 / YDS-30
	Cork (50)	GS20-50	Suitable for YDS-1 / YDS-20 / YDS-30 / YDS-35 / YDS-20B / YDS-30B / YDS-35B
YDS-30	Lockable Cap	SG-50	Suitable for container with 50mm neck opening
	Liquid Nitrogen Container	YDS-30-6YS	Includes 6 canisters (height 276mm), lockable cap and protective jacket, roller base is optional
	Liquid Nitrogen Container	YDS-30YS	Includes 6 canisters (height 120mm), lockable cap and protective jacket, roller base is optional
	Liquid Nitrogen Container	YDS-30	Includes protective jacket only, roller base is optional
	Canister (TT38)	TT30-50	Φ38 single tier canister, without goblets, suitable for YDS-20 / YDS-30
	Canister (TTS38)	TTS30-50	Φ38 double-tier canister, 2 goblets included, suitable for YDS-20/YDS-30
YDS-30-80	Roller Base	YSC-S (2019)	Suitable for all 30L / 35L / 50L aluminium tank, equipped with 5 universal wheels
	SmartCap	LT-50-370	Used to monitor level and temperature for containers with 50mm neck opening, data can be transmitted to cloud platform, suitable for YDS-13/YDS-20/YDS-30
	Cork (50)	GS20-50	Suitable for YDS-15 / YDS-20 / YDS-30 / YDS-35 / YDS-20B / YDS-30B / YDS-35B
	Lockable Cap	SG-50	Suitable for container with 50mm neck opening
	Liquid Nitrogen Container	YDS-30-80-6YS	Includes 6 canisters (height 276mm), lockable cap and protective jacket, roller base is optional
YDS-30-80	Liquid Nitrogen Container	YDS-30-80YS	Includes 6 canisters (height 120mm), lockable cap and protective jacket, roller base is optional
	Liquid Nitrogen Container	YDS-30-80	Includes protective jacket only, roller base is optional
	Canister (TT63)	TT30-80	Φ63 single tier canister, without goblets, suitable for YDS-30-80
	Canister (TTS63)	TTS30-80	Φ63 double-tier canister, 2 goblets included. Suitable for YDS-30-80
	Roller Base	YSC-S (2019)	Suitable for all 30L / 35L / 50L aluminium tank, equipped with 5 universal wheels
	SmartCap	LT-80-370	Used to monitor level and temperature for containers with 80mm neck opening, data can be transmitted to cloud platform, suitable for YDS-20-80/YDS-30-80
	Cork (80)	GS20-80	Suitable for YDS-30-80 / YDS-35-80 / YDS-35B-80
	Lockable Cap	SG-80	Suitable for container with 80mm neck opening
	Liquid Nitrogen Container	YDS-30-80-6YS	Includes 6 canisters (height 276mm), lockable cap and protective jacket, roller base is optional

Product List

Model	Product	Model	Description and Accessories
YDS-35	Liquid Nitrogen Container	YDS-35-6YS	Includes 6 canisters (height 276mm), lockable cap and protective jacket, roller base is optional
	Liquid Nitrogen Container	YDS-35YS	Includes 6 canisters (height 120mm), lockable cap and protective jacket, roller base is optional
	Liquid Nitrogen Container	YDS-35	Includes protective jacket only, roller base is optional
	Canister (TT38)	TT35-50	Φ 38 single tier canister, without goblets, suitable for YDS-35
	Canister (TTS38)	TTS35-50	Φ 38 double tier canister, 2 goblets included, suitable for YDS-35
	Roller Base	YSC-S (2019)	Suitable for all 30L / 35L / 50L aluminium tank, equipped with 5 universal wheels
	SmartCap	LT-50-400	Used to monitor level and temperature for containers with 50mm neck opening, data can be transmitted to cloud platform, suitable for YDS-35
	Cork (50)	GS20-50	Suitable for YDS-15 / YDS-20 / YDS-30 / YDS-35 / YDS-20B / YDS-30B / YDS-35B
	Lockable Cap	SG-50	Suitable for container with 50mm neck opening
YDS-35-80	Liquid Nitrogen Container	YDS-35-80-6YS	Includes 6 canisters (height 276mm), lockable cap and protective jacket, roller base is optional
	Liquid Nitrogen Container	YDS-35-80	Includes protective jacket only, roller base is optional
	Canister (TT63)	TT35-80	Φ 63 single tier canister, without goblets, suitable for YDS-35-80
	Canister (TTS63)	TTS35-80	Φ 63 double-tier canister, 2 goblets included, suitable for YDS-35-80
	Roller Base	YSC-S (2019)	Suitable for all 30L/35L/50L aluminium tank, equipped with 5 universal wheels
	SmartCap	LT-80-400	Used to monitor level and temperature for containers with 80mm neck opening, data can be transmitted to cloud platform, suitable for YDS-35-80
	Cork (80)	GS20-80	Suitable for YDS-30-80 / YDS-35-80 / YDS-35B-80
	Lockable Cap	SG-80	Suitable for container with 80mm neck opening
YDS-20B	Liquid Nitrogen Container	YDS-20B	Includes protective jacket only.
	Canister (TT38)	TT30-50	Φ 38 single tier canister, without goblets, suitable for YDS-20 / YDS-30
	Canister (TTS38)	TTS30-50	Φ 38 double-tier canister, 2 goblets included, suitable for YDS-20/YDS-30
	Cork (50)	GS20-50	Suitable for YDS-15 / YDS-20 / YDS-30 / YDS-35 / YDS-20B / YDS-30B / YDS-35B
	Lockable Cap	SG-50	Suitable for container with 50mm neck opening
YDS-30B	Liquid Nitrogen Container	YDS-30B	Includes protective jacket only, roller base is optional
	Canister (TT38)	TT30-50	Φ 38 single tier canister, without goblets, suitable for YDS-20 / YDS-30
	Canister (TTS38)	TTS30-50	Φ 38 double-tier canister, 2 goblets included, suitable for YDS-20/YDS-30
	Roller Base	YSC-S (2019)	Suitable for all 30L / 35L / 50L aluminium tank, equipped with 5 universal wheels
	Cork (50)	GS20-50	Suitable for YDS-15 / YDS-20 / YDS-30 / YDS-35 / YDS-20B / YDS-30B / YDS-35B
	Lockable Cap	SG-50	Suitable for container with 50mm neck opening
YDS-35B	Liquid Nitrogen Container	YDS-35B	Includes protective jacket only, roller base is optional
	Canister (TT38)	TT35-50	Φ 38 single tier canister, without goblets, suitable for YDS-35
	Canister (TTS38)	TTS35-50	Φ 38 double-tier canister, 2 goblets included, suitable for YDS-35
	Roller Base	YSC-S (2019)	Suitable for all 30L / 35L / 50L aluminium tank, equipped with 5 universal wheels
	Cork (50)	GS20-50	Suitable for YDS-15 / YDS-20 / YDS-30 / YDS-35 / YDS-20B / YDS-30B / YDS-35B
	Lockable Cap	SG-50	Suitable for container with 50mm neck opening

Product List

Model	Product	Model	Description and Accessories
YDS-35B-80	Liquid Nitrogen Container	YDS-35B-80	Includes protective jacket only, roller base is optional
	Canister (TT63)	TT35-80	Φ 63 single tier canister, without goblets, suitable for YDS-35-80
	Canister (TTS63)	TTS35-80	Φ 63 double-tier canister, 2 goblets included, suitable for YDS-35-80
	Roller Base	YSC-S (2019)	Suitable for all 30L / 35L / 50L aluminium tank, equipped with 5 universal wheels
	Cork (80)	GS20-80	Suitable for YDS-30-80 / YDS-35-80 / YDS-35B-80
	Lockable Cap	SG-80	Suitable for container with 80mm neck opening
YDS-35B-125	Liquid Nitrogen Container	YDS-35B-125	Includes protective jacket only.
	Canister (TT97)	TT35-125	Φ 97 single tier canister, without goblets, suitable for YDS-35-125
	Canister (TTS97)	TTS35-125	Φ 97 double-tier canister, 2 goblets included, suitable for YDS-35-125
	Rack	FTT-25-5	Used to store 2ml cryo boxes (5*5), 5 layers in total, 5*5 cryo boxes included, suitable for YDS-35-125 / YDS-47-127 (plastic cryo boxes included)
	Roller Base	YSC-S (2019)	Suitable for all 30L / 35L / 50L aluminium tank, equipped with 5 universal wheels
	Cork (125)	GS20-125	Suitable for YDS-30-125 / YDS-35-125 / YDS-47-127 / YDS-35B-125
	Lockable Cap	SG-125	Suitable for container with 125mm neck opening
YDS-50B	Liquid Nitrogen Container	YDS-50B	Includes protective jacket only, roller base is optional
	Canister (TT38)	TT50-50	Φ 38 single tier canister, without goblets, suitable for YDS-50
	Canister (TTS38)	TTS50-50	Φ 38 double-tier canister, 2 goblets included, suitable for YDS-50
	Roller Base	YSC-S (2019)	Suitable for all 30L / 35L / 50L aluminium tank, equipped with 5 universal wheels
	SmartCap	LT-50-500	Used to monitor level and temperature for containers with 50mm neck opening, data can be transmitted to cloud platform, suitable for YDS-50
	Cork (50)	GS10-50	Suitable for YDS-3 / YDS-3H / YDS-6 / YDS-10 / YDS-13 / YDS-25 / YDS-50B
Other Racks	Lockable Cap	SG-50	Suitable for container with 50mm neck opening
	Rack (vertical type)	FDCJ-25-4	Used to store 2ml cryo boxes (5*5), 4 layers in total, suitable for YDS-10\20\30-125 (plastic cryoboxes included)
	Rack (vertical type)	FDCJ-25-5	Used to store 2ml cryo boxes (5*5), 5 layers in total, suitable for YDS-25\35-125; YDS-47-127 (plastic cryoboxes included)
	Rack (vertical type)	FDCJ-25-6	Used to store 2ml cryo boxes (5*5), 6 layers in total, suitable for YDS-50B-125 (plastic cryoboxes included)



WolfLabs

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

www.wolflabs.co.uk

Tel : 01759 301142

Fax : 01759 301143

sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.