EZ READ 800 ELISA





EZ Read 800 ELISA and Galapagos software for EZ Read delivers everything you need to make your ELISAs easy.

DESIGNED FOR ELISA ASSAYS

ELISA Assay	Filter	Included
Substrate		
PNPP	405nm	Yes
ABTS	405nm	Yes
OPD	492nm	Yes
Slow TMB	450nm	Yes
Turbo TMB	450nm	Yes
Ultra TMB	450nm	Yes
Reference	620nm	Yes
wavelength		

KEY FEATURES

Galapagos for EZ Read Software's 'Click and drag' approach makes usability a key feature.

- Easy to create new plate layouts
- Add multiple assays to a plate
- Add multiple plates per analysis
- Select only the data you want for data reporting
- Windows 7 & 8 compatibility as well as older Windows OS from XP.

EZ Read 800 ELISA

- <5sec measurement of 96-well plate
- Measures flat, round and v-bottomed 96well microplates and stripwells with standard ANSI SBS footprints
- Accurate measurements ensured by automatic lamp calibration prior to each reading
- Four shaking modes for complete mixing of solutions and more reproducible
- USB 2.0 PC connection

ORDERING INFORMATION

80-4002-00	EZ Read 800 ELISA Microplate Reader
SG010160	Quality Control Plate with WinQC software

EZ READ 800 Research





EZ Read 800 ELISA and Galapagos software for EZ Read delivers everything you need to make your absorbance assays (e.g. ELISA, Bradford and cell viability assays) easy.

VERSATILE DESIGN FOR RESEARCH LABORATORIES

Protein Assay	Filter	Included
Bradford	595nm	Yes
BCA	562nm	Yes
Cell Viability Assays		
XTT	492nm	Yes
Cell Density	620nm	Yes
ELISA Assay Substrate	_	
PNPP, ABTS	405nm	Yes
OPD	492nm	Yes
TMB	450nm	Yes
Reference wavelength	620nm	Yes

KEY FEATURES

Galapagos for EZ Read Software makes 'Click and drag' approach makes usability a key feature.

- Easy to create new methods.
- Select only the data you want for data reporting
- So easy you won't need to export your data into Excel.
- Windows 7 & 8 compatibility as well as older Windows OS from XP.

EZ Read 800 ELISA

- <5sec measurement of 96-well plate
- Measures flat, round and v-bottomed 96well microplates with standard ANSI SBS footprints are measured
- Accurate measurements ensured by automatic lamp calibration prior to each reading
- Shaking for well homogeneity
- USB 2.0 PC connection

ORDERING INFORMATION

80-4002-01	EZ Read 800 Research Microplate Reader
SG010160	Quality Control Plate with WinQC software

^{*}See www.ezread.biochrom.co.uk for more information and technical specifications.



Wolf Laboratories Limited

www.wolflabs.co.uk

Tel: 01759 301142

Fax:01759 301143

sales@wolflabs.co.uk







Use the above details to contact us if this literature doesn't answer all your questions.

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.





