

The Atlantis microplate washer is ideal for both absorbance and luminescence based microplate assays. Ideal for busy laboratories running multiple microplate applications.

# Biochrom<sup>®</sup> Asys Atlantis Microplate Washer



## Key Features

### FLEXIBLE

- Up to 4 different channels and bottles allowing flexible configurations e.g. 3 wash and 1 rinse or 4 different wash solutions
- 8 channel manifold supplied for 96 well plates with standard ANSI SBS footprint. Optional 16 channel manifold for 384 well plates.
- Easy plate setup and flexible software
- Automatic rinse to prevent clogging
- Wash without touching the well using the automatic well depth detection and crosswise aspiration selectable functions
- Configurable to a range of microplate well types
- Three different rinse/prime methods

### QUIET AND EFFICIENT

- Vacuum and pressure-free system with quiet pumps for a more peaceful lab. No warm-up time needed
- No special wash bottles required
- Efficient washing (< 1µL residual volume in flat bottomed plates)

### EASY TO USE

- Color coded tube fittings
- Pre-programmed wash cycles and plate formats
- Manifold can be used to probe the parameters of the wells of the microplate

## Program Options

- Up to 8 cycles per procedure
- 20 different wash cycles can be defined including:
- Bottom and overflow washing options
- Adjustable dispense volume and speed
- Adjustable aspiration speed and time
- Adjustable soak time
- Shaking (3 modes)
- Fifty different procedures may be created by putting up to 8 previously defined wash cycles in sequence. Washing procedures can either be over the whole plate or a few strips.
- Overflow and bottom washing options
- Choice of English or German language

## Safety Features

- Manifold cover reduces aerosols
- Emergency stop (prevents damage to the microplate)
- Optional liquid level warnings and liquid level sensors

## TECHNICAL DETAILS

### Biochrom Asys Atlantis Microplate Washer

<b>Dispensed Volumes</b>	50 - 2000 $\mu$ L in 50 $\mu$ L increments
<b>Dispensing Precision</b>	< 5% at 300 $\mu$ L across the plate
<b>Residual Volume</b>	<1 $\mu$ L per well
<b>User Interface</b>	2 x 16 characters backlit display Keyboard with 5 function keys
<b>Shaking</b>	3 speed
<b>Microplates</b>	96 well plates flat and round bottomed (384 well plates with 16-way manifold) Fits plates with standard ANSI SBS footprint
<b>Power Requirement</b>	90-250V, 60VA auto-sensing, 50/60 Hz
<b>Instrument Dimensions</b> (wxhxd)	21 x 44 x 21cm, 8.3" x 17.3" x 8.3"
<b>Weight:</b>	8Kg (17.8lbs)

## ORDERING INFORMATION:

G021101	<b>Biochrom Asys Atlantis 2 Microplate Washer</b> for 96 well Plates 2 liquid lines, 8 way manifold and tubing, 2 wash/rinse bottles (2L), 1 waste bottle (2.5L)
G021102	<b>Biochrom Asys Atlantis 4 Microplate Washer</b> for 96 well Plates 4 liquid lines, 8 way manifold and tubing, 4 wash/rinse bottles (2L), 1 waste bottle (2.5L)
SB021011002	Optional 12 way manifold for 96 well plates
SB021013000	Optional 16 way manifold for 384 well plates



# WolfLabs

**Pricing on any accessories shown can be found by keying the part number into the search box on our website.**

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

**[www.wolflabs.co.uk](http://www.wolflabs.co.uk)**

**Tel : 01759 301142**

**Fax : 01759 301143**

**[sales@wolflabs.co.uk](mailto:sales@wolflabs.co.uk)**

Please contact us if this literature doesn't answer all your questions.