

ahn myLab HC-01

Hematocrit Centrifuge 12000 rpm

Usage - determination of volume fractions of erythrocytes (red blood cells) in blood and also for separation of blood and solutions

Capacity - 24 capillary tubes of 75 / 45 mm length

Maximum Speed - up to 12000 rpm / 14119 x g

Precise operation - speed interval of 100 rpm starting from 500 rpm

Increased user safety and comfort - automatic safety brake system preventing the lid from opening upon operation / imbalance detection / HTC rotor with screw on lid to prevent contamination

User comfort - big user-friendly display / last run memory function / preset feature where the user can set up their favorite mode and change the speed (RPM) and time

Robust design - brushless DC motor enables maintenance free and long lasting operation, perfect for extended runs

Small footprint - optimizing bench top space



24 slot capillary rotor

Ordering information

Description	Cat. No.
AHN myLab® HC-01 Hematocrit Centrifuge 12000 rpm	7-020-00-0

Specifications	
Imbalance detection	yes, auto cut off
Timer setting	up to 12 mins
Weight	5.0 kg (without Rotor)
Dimensions (WxDxH)	301x363x105mm

*protection of light sensitive samples

Delivery Package
1 pc. Hematocrit Centrifuge 12000 rpm
1 pc. Power supply adaptor
1 pc. 24-slot capillary rotor (pre-installed)
1 pc. Blood reader
1 pc. T-Allen wrench
1 pc. Instruction manual
1 pc. Warranty card





WolfLabs

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

www.wolflabs.co.uk

Tel : 01759 301142

Fax : 01759 301143

sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.