


# PrO-Cyt Centrifuges

Cytology Histology





**Our Pro-Cyt range are compact and practical centrifuges for small , medium and large sample volumes. Unlike others we offer you a choice of two Centrifuges and each can use one of three rotors, from 4, 8 and 12 places, thus meeting your needs exactly.**

They are both cost effective, yet still benefiting from the superb build quality and engineering of our research series.

Centurion centrifuges, with their applications-oriented accessories, are proven favourites in clinical, cytology , histology and small medical laboratories. Our compact, ergonomic design: smaller dimensions, ergonomic height and curved features ensure a comfortable and efficient workspace. Our Centrifuges deliver optimum performance in compact units, designed for ease of use. Quiet (below 50Db, rotor dependant) with low heat operation noise levels have been reduced while maintaining sample integrity with good airflow .

Performance and safety are top of our agenda, tight operational control is maintained by the microprocessor. An imbalance sensor is incorporated into the control loop to bring to a controlled stop of the centrifuge in the case of a tube rupture or incorrect loading.

Centurion centrifuges have been an industry standard for quality and reliability for 27 years, our centrifuges can be relied upon to deliver safe, reproducible and trouble-free results for many years.

### **Warranty 3 years for all models**

Centurion brand centrifugation products are part of a dedicated range of products and services designed to provide you with quality equipment and support.

### **Choosing The Right Centrifuge**

A centrifuge is a critical piece of equipment. Therefore, when the time comes to add new centrifuges or replace old models, it is important to make an informed decision. Bringing together technological and design excellence, Centurion have paved the way for a new generation of centrifuges.

We reserve the right to make changes with ongoing research and development.

# PrO-Cyt Centrifuges

User features to PrO-CYT series	Advantages
Large LCD display with touch control or LED	Clarity & ease of use
10 accelerations rates & 10 deceleration rates	Sample assistance
108 memory (12 pages of 9) or LED (10)	Multi department & Users
Timer 0-99 minutes & Hold in 1/30 second increments	Total flexibility
Pulse short run	Fast pelleting
Run in speed (rpm) or rcf (G) in 1/10 rpm increments	Accuracy
Sound <55db (rotor dependent)	Quiet
Orientation acceleration rate	Prevents initial sample side deposits
Standard to PrO-CYT series	Advantages
Extra thick stainless steel bowl	Easy clean & rust free
Port to lid	Tachometer speed certification
Alloy & steel frame (zinc coated)	Strong light & quiet
World leading industrial grade inverter	Reliability & strength
Best quality European brushless motor	Quiet, cool & reliable
High technology airflow (ambient mode)	Cooler running
All centrifuges have user accessible service sections to access all safety parameters	
Safety features to PrO-CYT series	Advantages
Multi point lid locking	Lid safety
Emergency lid release	Power failure release
Lid Spring Strut	Lid dropping safety
Lid lock detection	To run, lid must be shut
Imbalance detection	Eradicates user loading errors
Overspeed sensor	Safe detection of speed
Set inverter values	Electronic safety of speed
Barrier ring	Extra metal protection of chamber
Motor overheat sensor	Safe motor protection

Centurion Scientific Ltd centrifuges comply to all relevant EU standards for Quality and medical Devices IEC 61010 and CE conformity test marks Emission, immunity to EN/IEC 61326-1, Class B

Page 4 PrO-Cyt LED and PrO-Cyt LCD Centrifuges

Page 5 Rotors available. 4 place, 8 place and 12 place

Page 6 Sample holders available, single, double or single large.

Page 7 Package supplied and other available items

# PrO Cyt LED

(230V 50/60Hz)



Display indicative only

# 1.PrO Cyt LED

110V 60Hz)

(Rotor required)

Speed	200-2000 Rpm (10 Rpm steps)
Rcf Max	550 G
Timer	0-99 Mins & Hold (30 sec steps)
Dims HWD	275 x 325 x 470mm
Weight	21.8 Kg (without rotor)
Power	175 Watts
Memory	10 programs
Accel rates	10 programs
Decel rates	10 programs

# PrO Cyt LCD

(230V 50/60Hz)



Display indicative only

# 1.PrO Cyt LCD

(110V 60Hz)

(Rotor required)

Speed	200-2000 Rpm (1 Rpm steps)
Rcf Max	550 G
Timer	0-9999 Mins & Hold (1 sec steps)
Dims HWD	275 x 325 x 470mm
Weight	21.8 Kg (without rotor)
Power	175 Watts
Memory	108 programs
Accel rates	10 programs
Decel rates	10 programs

# Available Cytology Rotors

Using centrifugal force to separate and deposit a monolayer of cells onto slides whilst maintaining cellular integrity within a clearly defined area FROM ANY FLUID MATRIX.

Cyto centrifugation also constructively flattens cells for excellent nuclear presentation.

Applications include Cytology, Histology, Haematology, Oncology, Immunochemistry, Virology, Serology and Microbiology.

Offering samples from 0.1ml to 6ml and an extensive range of accessories we have your Cytology needs covered.

Cytology rotor includes Rotor, sealed lid, Clips, 24 x holders with filter card & 100 slides

Rotor	4420
Rotor type (ml)	4 x double
Tube size max (mm)	STD slide
Minimum speed (Rpm)	200
Maximum speed (Rpm)	2,000
Maximum RCF (G)	550
Radius max (mm)	123
Sample tube angle (°)	vertical
Acceleration time (secs)	15-90
Deceleration time (secs)	15-90
Autoclavable (frequency)	121°C (20)

Rotor	4430
Rotor type (ml)	8 x double
Tube size max (mm)	STD slide
Minimum speed (Rpm)	200
Maximum speed (Rpm)	2,000
Maximum RCF (G)	550
Radius max (mm)	123
Sample tube angle (°)	Vertical
Acceleration time (secs)	15-90
Deceleration time (secs)	15-90
Autoclavable (frequency)	121°C (20)



Rotor	4460
Rotor type (ml)	12 x double
Tube size max (mm)	STD slide
Minimum speed (Rpm)	200
Maximum speed (Rpm)	2,000
Maximum RCF (G)	550
Radius max (mm)	123
Sample tube angle (°)	Vertical
Acceleration time (secs)	15-90
Deceleration time (secs)	15-90
Autoclavable (frequency)	121°C (20)

# Accessories



Pack of 24

4444

Single sample holder  
with card (up to 1ml)



Pack of 24

4446

Double sample holder  
with card (up to 1ml)



Pack of 40

4600

Single sample holder  
with card (up to 6ml)



Single

4462

Stainless steel clips

## Accessories included

All PrO-Cyt centrifuges are complete with a starter pack this includes.

100 microscope slides and a pack of 24 double sample holders including fixed blotters.

Rotors are complete with lid , swing plate and stainless steel holders to match.



We trust that the details contained within these pages allows you to make a informative decision on our PrO-Cyt range.

**If however you need more information or assistance, please do not hesitate to call.**



# Wolf Laboratories Limited

[www.wolflabs.co.uk](http://www.wolflabs.co.uk)

Tel: 01759 301142

Fax: 01759 301143

[sales@wolflabs.co.uk](mailto:sales@wolflabs.co.uk)



**Use the above details to contact us if this literature doesn't answer all your questions.**

**Pricing on any accessories shown can be found by keying the part number into the search box on our website.**

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

