### **Clifton Unstirred Water Baths**



Clifton analogue and digital unstirred water baths are designed for education and general laboratory use. They are economically priced without compromising quality.

Comprising of a high quality corrosion resistant stainless steel tank, with a bright clean finish housed in a durable painted outer case. Painted surfaces feature anti-bacterial finish with good chemical resistance.



# Clifton

The heaters and temperature sensors are concealed under the tank providing a clutter free working area which makes it easy to wipe and clean.

### Analogue Unstirred Water Baths



Easy to use analogue dial pointer for setting temperature, graduated in 5°C increments.



Digital water baths have push buttons for setting values. Temperatures can be easily and rapidly set with the push button, wipe clean control panel, featuring a bold LED display.

## NE1 Series Unstirred Thermostatic Water Baths



The NE1 series, Thermostatic Clifton analogue baths are designed for general use and are economically priced without compromising quality.

Comprising of a high quality corrosion resistant stainless steel tank, with a bright clean finish housed in a durable painted outer case. Painted surfaces feature anti-bacterial finish with good chemical resistance.

Heaters and temperature sensors are concealed under the tank providing a clutter free working area which is easy to wipe clean.

	NE1-2.5	NE1-4	NE1-8	NE1-14
GENERAL				
Temp. Range	Ambient + 5°C - 100°C			
Temp. Control	Analogue Dial Pointer			
Sensitivity/Uniformity	±0.5°C / ±0.5°C	.5°C / ±0.5°C ±0.1°C		
Heater Power (220-240V)	250W	400W	800W	1000W
Voltage	230V 50-60Hz 120V or 230V models available 50-60Hz			
DIMENSIONS				
Tank Capacity	2.5 Litre	4 Litre	8 Litre	14 Litre
External (mm)	270w x 190d x 240h	332w x 185d x 290h	332w x 270d x 290h	361w x 332d x 290h
Internal (mm)	230w x 130d x 150h	300w x 150d x 150h	300w x 240d x 150h	325w x 300d x 150h
Water Level Max. (mm)	130			
Water Level Min. (mm)	55			

	NE1-22	NE1-28	NE1-56
GENERAL			
Temp. Range	Ambient + 5°C - 100°C		
Temp. Control	Analogue Dial Pointer		
Sensitivity/Uniformity	±0.25°C / ±0.1°C		
Heater Power (220-240V)	1500W 2500W		2500W
Drain (12mm Bore)	Drain Outlet Drain Tap Fitted		Drain Tap Fitted
Voltage	120V or 230V models available 50-60Hz		
DIMENSIONS			
Tank Capacity	22 Litre	28 Litre	56 Litre
External (mm)	538w x 332d x 290h	538w x 332d x 290h	660w x 540d x 290h
Internal (mm)	500w x 300d x 150h	500w x 300d x 200h	620w x 500d x 200h
Water Level Max. (mm)	130 180		
Water Level Min. (mm)	55		

Accessories on Page 14-17

### **Unstirred Bath Accessories - Lids**

	Stainless Steel Gabled Lid with Insulated Handle	Stainless Steel Hinged Gable Lid with Insulated Handle	Stainless Steel Flat One Piece Lid with Insulated Handle	Clear Lift Off Gable Lid
UNSTIRRED BATHS				
NE1-2.5	Not Available	Not Available	LD-2.5	Not Available
NE1-2/2/2, NE1D-2/2/2, NE2-2D	SL1-4	Not Available	LD-4	GL1-4AF
NE1-4, NE1D-4, NE1-4/4/4,NE1D- 4/4/4, NE2-4D, NE2D-4/4	SL1-4	Not Available	LD-4	GL1-4AF
NE2-5D	SL1-14	Not Available	LD-14	GL1-14AF
NE1-8, NE2-8D, NE2D-4/8, NE2D-8/22	SL1-8	Not Available	LD-8	GL1-8AF
NE1-9, NE2-9D	SL1-22	SL1-22H	LD-22	GL1-22AF
NE2-10D	SL1-8	Not Available	LD-8	GL1-8AF
NE1-14, NE1D-14 NE2-14D	SL1-14	SL1-14H	LD-14	GL1-14AF
NE1B-14, NE1B-18W	Not Available	SL1-14H/SS	LD-14	GL1-14AF
NE1-22,NE1D-22, NE2-22D, NE2D-8/22	SL1-22	SL1-22H	LD-22	GL1-22AF
NE1-28, NE2-28D	SL1-22	SL1-22H	LD-22	GL1-22AF
NE1-56, NE2-56D	SL1-56	Not Available	LD-56	Not Available
NE1B-28	SL1-22SS	Not Available	LD-22	GL1-22AF

**Unstirred Water Baths** 

Stainless Steel Lid with Concentric Rings SLR1-4 : 2 x 105 mm holes SLR1-8 : 4 x 83mm holes SLR2-8 : 2 x 105 mm holes SLR1-14 : 4 x 105mm holes SLR2-14 : 6 x 83mm holes SLR3-14 : 4 x 114.5mm holes SLR1-22 : 6 x 105mm holes	Clear Hinged Gable Lid	Polypropylene Spheres: Pack of 200
Clifford and a second sec		
Not Available	Not Available	BP0368 : 1 Pack
SLR1-4	GL1-4	BP0368 : 1 Pack
SLR1-4	GL1-4	BP0368 : 1 Pack
SLR1-14, SLR2-14 and SLR3-14	GL1-14	BP0368 : 2 Packs
SLR1-8 and SLR2-8	GL1-8	BP0368 : 2 Packs
SLR1-22 and SLR3-22	GL1-22	BP0368 : 2 Packs
SLR1-8 and SLR2-8	GL1-8	BP0368 : 2 Packs
SLR1-14, SLR2-14 and SLR3-14	GL1-14	BP0368 : 2 Packs
SLR1-14, SLR2-14 and SLR3-14	Not Available	BP0368 : 2 Packs
SLR1-22 and SLR3-22	GL1-22	BP0368 : 4 Packs
SLR1-22 and SLR3-22	GL1-22	BP0368 : 4 Packs
Not Available	Not Available	BP0368 : 4 Packs
SLR1-22 and SLR3-22	Not Available	BP0368 : 4 Packs

### Accessories for the NE1B-18W Boiling Bath

ST-1	Raise and Lower Sterilising Tray	
SA01409	Pair of Guide Rail Assembles for ST-1 Tray	
SL1-14H/SS	Stainless Steel Hinged Gable Lid to suit 14 litre and 18 litre Boiling Baths	
GL1-14AF	Lift Off Gable Lid to suit 14 and 18 litre Boiling Baths	

### **Unstirred Bath Accessories**

	Stainless Steel Test Tube Racks 6870 : 26 holes x 17mm DIA 6871 : 16 holes x 26mm DIA 6872 : 36 holes x 13mm DIA 6873 : 18 holes x 19mm DIA 6900 : 12 holes x 32mm DIA	PVC Churchill Racks C18-4 : 28 holes x 18mm DIA C18-8 : 44 holes x 18mm DIA C18-14 : 68 holes x 18mm DIA C25-4 : 28 holes x 25mm DIA C25-8 : 44 holes x 25mm DIA C25-14 : 68 holes x 25mm DIA	Drain Tap
UNSTIRRED BATHS		Curron	
NE1-2.5	1 Rack From Above Range	Not Available	Not Available
NE1-2/2/2, NE1D-2/2/2, NE2-2D	1 Rack From Above Range Chamber	Not Available	Not Available
NE1-4, NE1D-4, NE1-4/4/4, NE1D-4/4/4, NE2-4D, NE2D-4/4	1 Rack From Above Range	C18-4 and C25-4	Not Available
NE2-5D	4 Racks From Above Range	Not Available	Not Available
NE1-8,NE2-8D, NE2D-4/8, NE2D-8/22	2 Racks From Above Range	C18-4 and C25-8	Not Available
NE1-9, NE2-9D	6 Racks From Above Range	Not Available	Not Available
NE2-10D	2 Racks From Above Range	Not Available	Not Available
NE1-14, NE1D-14 NE2-14D	4 Racks From Above Range	C18-14 and C25-14	Not Available
NE1B-14	4 Racks From Above Range	Not Available	Not Available
NE1B-18W	4 Racks From Above Range	Not Available	BX0953
NE1-22, NE1D-22, NE2-22D, NE2D-8/22	6 Racks From Above Range	Not Available	BX0953
NE1B-28, NE1-28, NE2-28D	6 Racks From Above Range	Not Available	BX0953
NE1-56, NE2-56D	12 Racks From Above Range	Not Available	BX0953

Flat n Fold <sup>™</sup> Test Tube Racks 6770 : 26 holes x 17mm DIA 6771 : 16 holes x 26mm DIA 6772 : 36 holes x 13mm DIA 6773 : 18 holes x 19mm DIA 6800 : 14 holes x 32mm DIA	Stainless Steel Wire Baskets	Bath Armor	Thermometer Clip With Bent Stem Thermometer
1 Rack From Above Range	Not Available	BA-5 : 4 Litre Pack	TC-1
1 Rack From Above Range Chamber	Not Available	BA-5 : 4 Litre Pack	TC-1
1 Rack From Above Range	BSK-4	BA-5 : 4 Litre Pack	TC-1
4 Racks From Above Range	Not Available	BA-12 : 12 Litre Pack	TC-1
2 Racks From Above Range	BSK-8	BA-12 : 12 Litre Pack	TC-1
6 Racks From Above Range	Not Available	BA-12 : 12 Litre Pack	TC-1
2 Racks From Above Range	Not Available	BA-12 : 12 Litre Pack	TC-1
4 Racks From Above Range	BSK-14	BA-12 : 12 Litre Pack	TC-1
4 Racks From Above Range	BSK-14	Not Available	TC-1
4 Racks From Above Range	Not Available	Not Available	TC-1
6 Racks From Above Range	BSK-22	BA-12 : 2 x 12 Litre Pack Required	TC-1
6 Racks From Above Range	Not Available	BA-12 : 2 x 12 Litre Pack Required	TC-1
12 Racks From Above Range	Not Available	BA-12 : 2 x 12 Litre Pack Required	TC-1

### **Common Accessories**

BX0616	Drain Syphon
BKF-1	Bar Keepers Friend



# **Wolf Laboratories Limited**

www.wolflabs.co.uk

Tel: 01759 301142

Fax:01759 301143

sales@wolflabs.co.uk



# Use the above details to contact us if this literature doesn't answer all your questions.

# Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.





