

Hotplate Stirrers





Designed by You



Model Type - Interface - Surface - Colour



Built by Us



Distinctly Different



^{*}Analogue and Digital models only available in: White, Black & Blue.

Analogue Range

With LED display for temperature and stirring



Hotplate Stirrer analogue interface

Digital Range

With constant digital temperature display



Hotplate Stirrer digital interface

Premium Range

With TFT display for temperature and stirring



Hotplate Stirrer premium interface

Technical Specifications

Parameter	Analogue	Digital	Premium
Model types	Hotplate, Stirrer, Hotplate Stirrer	Hotplate, Hotplate Stirrer	
Plate material	Glass Ceramic or Ceramic-coated Aluminium		
Plate dimensions, mm	150 x 150		
Display	Analogue LED temperature and speed arrays	Digital 7 segment temperature display & LED array speed display	Full-colour TFT temperature and speed display
Hot-warning	Mains-independent hot warning light		
Connection for ext. temp sensor	SCT1 contact thermometer*	SCT1 contact thermometer*	Pt100 temperature sensor
Programmable	No	No	Yes
Colour options	White, Black, Blue	White, Black, Blue	White, Black, Blue, Pink, Avocado, Tangerine, Red, Ultraviolet
Heated area, mm	150 x 150 Aluminium, 120 x 120 Ceramic		
Heater power, Watt	700 Aluminium, 500 Ceramic		
Max plate temp, °C	325 Aluminium, 450 Ceramic		
Stirrer speed, rpm	50 - 2000		
Maximum stirring capacity, L	15		
Dimensions (w x d x h), mm	180 x 300 x 93		
Electrical supply	115-230V, 50/60Hz Stirrers 115V or 230V, 50/60Hz Hotplates and Hotplate Stirrers		

^{*}sold separately





Wolf Laboratories Limited

www.wolflabs.co.uk

Tel: 01759 301142

Fax:01759 301143

sales@wolflabs.co.uk







Use the above details to contact us if this literature doesn't answer all your questions.

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.





