



Product Code: FFC4-2 35-105

Foster FlexDrawer Counter (variable temperature) with 2 Drawers



Features & Benefits

- Change drawer temperature from fridge to freezer at the touch of a button - simple
- High quality 304 s/s finish throughout meaning quality is assured
- Per drawer 2 x GN 1/1 150mm deep pan. Capacity maximises available storage space
- Fully removable robust drawer bins for ease of cleaning
- Works efficiently in hot kitchens, operating in ambients exceeding ISO Climate Class 5 (43°C ambient)
- User friendly controls with LED Temp display
- Lockable drawers for maximum security
- Automatic hot gas defrost

Refrigeration

R290 - Energy Efficient Standard

Specification

Refrigerator +1/+4°C and/or Freezer -18/-21°C Standard

Width (mm) 775

Depth (mm) 700

Height (mm) 900

Electrical & Service Data

Required 2 x plug sockets (13 amp)

230/50/1 Standard

Fuse Required (A) 10

Refrigerant Charge (kg) 0.065

Finish

304 s/s Standard

Product Extras

Stainless steel rear Option

Biscuit Lid (reduces height by 18mm) Option

Roller Set (reduces height by 25mm) Option

Cekon Lead Option

Pan spacer support Option

Energy

AEC 1029.30

Nett Volume 48.0

Energy Grade C

Global Warming Potential 3

Energy Efficiency Index 38.69


Footnotes

- Max GN pan depth: 150mm
- Adequate airflow must be kept around the counter: 150mm
- FFC4-2 requires two leads
- Add 20mm for depth if product is to be wall sited. Stopper required for air circulation - detachable if not wall sited.

Energy Performance Data and information



Foster Refrigerator - a division of ITW Ltd
Oldmedow Road, KING'S LYNN, Norfolk PE30 4JU
Tel: 0843 216 8800 Fax: 0843 216 4700
Registered in England No. 00559693
VAT No. GB 792 4414 16



Master data version: Ver.01.0014AB

Generated: 31/05/2019

Application

This appliance is intended for use in ambient temperatures up to {1}°C

Safety

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit [our policies](#)



Energy



Quality



Value



Design



Hygiene



After Care

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.



Wolflabs

Wolf Laboratories Limited

www.wolflabs.co.uk

Tel: 01759 301142

Fax: 01759 301143

sales@wolflabs.co.uk



Use the above details to contact us if this literature doesn't answer all your questions.

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

