

# Product Code: EP1440H EcoPro G2 1350 Litre Upright Refrigerated Cabinet



# Features & Benefits

- Sleek, modern asthetics, robust construction and market leading capacity. 'Smartphone style' fuzzy logic II touch sensitive control panel with high visibility temperature display
- · Low energy refrigerant system with reduced running costs
- Improved internal fittings for easy cleaning
- Foster Circulair II air distribution system maximises efficient operation even when shelves are fully loaded
- Operates efficiently in ambients up to 43°C
- Features Foster's new award-winning +stayclear condenser, revolutionising the effective operation of your refrigeration, ensuring your equipment works more efficiently for longer

Shelving
----------

Additional S/S Trayslides	Option
Additional GN2/1 Shelf	Option

### Refrigeration

R290 - Energy Efficient	Standard
R134a - Industry Standard	Option
Integral Refrigeration System	Standard
Less Condensing Unit	Option

## Specification

Refrigerator +1/+4°C	Standard
Width (mm)	1440
Depth (mm)	820
Height (mm)	2080
Unpacked weight (Kgs)	182.5
Packed weight (Kgs)	199.1
Gross Volume (Ltr)	1350
Noise dBA @ 1m	69.8

### **Base Fittings**

Castors 80mm	Standard
Legs 150mm	Option

## Electrical & Service Data

230/50/1	Standard
220/60/1 Electrical Supply	Option
Fuse Required (A)	10
Refrigerant Charge (kg)	0.330

# Finish

s/steel ext, 304 s/s door & alu int	Standard
304 s/s	Option
304 S/S back for island sitting	Option

#### Doors

Left and right hinged door	Standard
Solid	Standard

### Product Extras

Helicoil Mains Lead	Option
Energy	
kWh (24 hours)	3.58
AEC	1306.12
Nett Volume	964.6
Energy Grade	D
Global Warming Potential	1430
Energy Efficiency Index	59.54

# Footnotes

- 150mm castors are not available if product is supplied less condensing unit
- Adequate airflow and service space must be kept above the top of cabinet: 310mm
- Depth with door open is 1500mm
- Decibel rating measured 1m high from the floor and 1m out from the cabinet

# Energy Performance Data and information



#### Application

This appliance is intended for use in ambient temperatures up to  $\{1\}^{\circ}C$ Safety

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

#### Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit our policies



All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.



Pricing on any accessories shown can be found by keying the part number into the search box on our website. The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

# www.wolflabs.co.uk

Tel : 01759 301142 Fax : 01759 301143 sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.