



Product Code: FSL400G

Slimline 400 Litre Upright Glass Door Refrigerated Cabinet



Features & Benefits

- When space is a prime concern, Slimline Cabinets provide the ideal storage solution
- LED electronic temperature display for accurate control and clear visual reference
- Glass door and light (25°C ambient ISO Climate Class 3)
- Bottom mounted refrigeration system draws air from the cooler part of the kitchen ensuring efficient operation and lower running costs

Shelving		Base Fittings		Doors	
Nylon Coated Shelf	Option	Castors 80mm	Standard	Glass	Standard
Refrigeration		Electrical & Service Data		Left Hand Hinged Door	
R134a - Industry Standard	Standard	230/50/1	Standard	Specification	
R290 - Energy Efficient	Standard	Fuse Required (A)	10	Refrigerator +1/+4°C	Standard
Integral Refrigeration System	Standard			Width (mm)	600
Finish				Depth (mm)	705
s/steel ext, glass door & alu int	Standard			Height (mm)	1990
				Gross Volume (Ltr)	400
				Noise dBA @ 1m	TBC

Footnotes

- Bottom mounted system draws air from the cooler part of the kitchen ensuring lower running costs
- Forced air refrigeration for efficient operation, even temperature distribution and fast recovery
- Automatic Defrost for hassle-free operation
- Electronic temperature display for accurate control
- Delivers the reliability and performance you would expect from a Foster at a highly competitive price



All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.



Wolf Laboratories Limited

www.wolflabs.co.uk

Tel: 01759 301142

Fax: 01759 301143

sales@wolflabs.co.uk



Use the above details to contact us if this literature doesn't answer all your questions.

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

