

Specifications HYC-118

Technical Data

Cabinet Type	Upright, solid door
Climate Class	N
Cooling Type	Forced air cooling
Defrost Mode	Auto
Refrigerant	CFC-Free
Noise((dB(A))	32

Performance

Temp Range(℃) 2~8	Temp Range(℃)	2~8	
-------------------	---------------	-----	--

Control

Controller	Microprocessor
Display	LED

Electrical Data

Power Supply(V/Hz)	220-240/50	115/60
Power(W)	135	75
Electrical Current(A)	1.03	1.11

Dimensions

Capacity(L/Cu.Ft)	118/4.2
Net/Gross Weight(approx)	41/46(kg) 90.4/101.4(lbs)
Interior Dimensions(W*D*H)	515*415*630(mm) 20.3*16.3*24.8(in)
Exterior Dimensions(W*D*H)	597*635*835(mm) 23.5*25.0*32.9(in)
Packing Dimensions(W*D*H)	680*690*910(mm) 26.8*27.2*35.8(in)
Container Load(20'/40'/40'H)	48/102/102



Functions

High/Low Temp	Υ	
Power Failure	Υ	
Sensor Error	Υ	
Low Battery	Υ	
Door Ajar	Υ	
Remote System	Υ	

Accessories

Caster	Υ
Foot	Υ
Test Hole	Υ
Shelves /Basket	3/1

Others

Certificate	CF III
Certificate	CE,OL



Wolf Laboratories Limited

www.wolflabs.co.uk

Tel: 01759 301142

Fax:01759 301143

sales@wolflabs.co.uk







Use the above details to contact us if this literature doesn't answer all your questions.

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.





