


# HI84100 mini Titrator

FOR THE DETERMINATION OF FREE AND TOTAL SULFUR DIOXIDE FOR WINE ANALYSIS





# Why Sulfur Dioxide is important...

An important reason for adding  $SO_2$  is to avoid oxidation. When there is oxygen around,  $SO_2$  itself becomes oxidized before phenol compounds in the wine, and thus acts as an oxygen scavenger. Also,  $SO_2$  suppresses the activity of enzymes that cause browning and other problems.

What is really protecting your wine is molecular  $SO_2$ . When you add  $SO_2$ , depending on circumstances, some of it immediately becomes bound. The relationship between the amount of added  $SO_2$  and the amount of  $SO_2$  remaining free is complex. It is clear however, that it is largely governed by the total  $SO_2$  content of the wine. The rate of binding decreases as the free  $SO_2$  concentration increases. The exact relationship between free and bound (total-free)  $SO_2$  will vary from wine to wine.

Below 30-60 ppm, 33% to 50% of  $SO_2$  addition becomes bound. What remains is called "free" and is divided in two parts. The larger and relatively ineffective free part is "bisulphite" (HSO³). The smaller part of the free is the active molecular  $SO_2$ . The amount of molecular  $SO_2$  in your wine depends both on the level of free  $SO_2$  present as well as pH. For instance, at pH 3.2 the amount of free  $SO_2$  for 0.8 ppm molecular  $SO_2$  is 22 ppm. At 3.5, you will need 43 ppm free, essentially double.

Free concentration (ppm) for 0.8 ppm molecular SO<sub>2</sub>:

рН	3.0	3.1	3.2	3.3	3.4	3.5	3.6	3.7	3.8	3.9
Free SO <sub>2</sub>	14	18	22	28	35	44	55	69	87	109

In most situations, 0.8 ppm molecular  $SO_2$  during bulk storage and at bottling will provide you with adequate protection from oxidation and bacterial action. This includes prevention of malolactic bacteria as well.

It is important to remember that the amount of free SO<sub>2</sub> in the wine depends on 3 things: how much is added, how much was present before the addition and how much of your addition promptly becomes bound.

The level at which molecular  $SO_2$  can be detected by human senses is about 2.0 ppm. This also is the level which is needed for maximum protection of your wine. This is particularly true in the case of sweet and most notably botrytised wines.

The HANNA HI 84100 offers the possibility to quickly and accurately test free or total  $SO_2$  in all wines (including red).

# HI84100 mini Titrator

FOR THE DETERMINATION OF FREE AND TOTAL SULFUR DIOXIDE FOR WINE ANALYSIS

- Titrator, magnetic stirrer, electrode holder & reagent holder in one compact unit
- Results in minutes
- Simple to operate

#### Free and Total Sulfur Dioxide

The HI 84100 is a low cost, easy to use, microprocessor-based automatic titrator that benefits from HANNA's years of experience as a manufacturer of analytical instruments.

The HI 84100 has a simple and reliable peristaltic pump to ensure accurate dosing and repeatability. By performing pump calibration with the provided HANNA standards, instrument accuracy is assured.

This instrument is supplied with a preprogrammed analysis method designed for free and total sulfur dioxide measurements on wine samples. The instrument features a powerful and effective built-in algorithm to analyze the shape of the electrode response curve and to determine the reaction completion. This algorithm automizes the analysis and makes all necessary calculations. The HI 84100's interface is clean and simple.

By simply pressing the START/STOP button, the instrument will automatically make the titration up to the equivalence point. The result is immediately displayed in convenient units, then the instrument is ready for another titration.







#### Also Available from **HANNA**

## TITRATABLE TOTAL ACIDITY mini Titrator

HI 84102 for the Determination of Titratable Total Acidity in Wine

## TARTARIC ACID Photometer

HI 83748 for the Determination of Tartaric Acid in Wine

### TOTAL PHENOLS & COLOR Photometer

HI 83742 for the Determination of Total Phenols & Color in Wine

#### COPPER Photometer

HI 83740 for the Determination of Copper in Wine

#### IRON Photometer

HI 83741 for the Determination of Iron in Wine

# pH & TEMPERATURE Bench & Portable Meters

HI 222 & HI 9026W pH & Temperature in Wine



# HI84100 mini Titrator

FOR THE DETERMINATION OF FREE AND TOTAL SULFUR DIOXIDE FOR WINE ANALYSIS

#### **Ordering Information**

**HI 84100** is supplied complete with reagent set for 20 titrations, (2) 50 mL beakers, (2) 20 mL beakers, scissors, tube set with cap, ORP electrode, stir bar, power cable, 30 mL bottle of refill solution, 1 mL syringe, (2) wine deposits cleaning solution sachets, (2) wine stain cleaning solution sachets and instruction manual.



Specifications	HI 84100 mini Titrator					
Range	0 to 400 ppm of SO <sub>2</sub>					
Resolution	1 ppm					
Accuracy	5% of reading					
Method	Ripper titrimetric method					
Principle	Equivelance point redox titration					
Sample Volume	50 mL					
ORP electrode	HI 3148B (included)					
Pump Volume	0.5 mL/min					
Stirring Speed	1500 rpm					
Environment	0 to 50°C (32 to 122°F); max 95% RH non-condensing					
Power Supply	110V/60 Hz; 10VA					
Dimensions	208 x 214 x 163 mm (8.2 x 8.4 x 6.4") (with beaker)					
Weight	2200 g (77.6 oz.)					

#### Accessories

HI 70300L	Electrode storage solution (500 mL)	HI 84100-54	Stabilizer reagent (25 pcs.)
HI 70635	Cleaning solution for wine deposits (500 mL)	HI 84100-55	Calibration standard (500 mL)
HI 70636	Cleaning solution for wine stains (500 mL)	HI 3148B	ORP probe with shorter cable
HI 7082	Electrode filling solution (4 x 30 mL)	HI 70483T	Tube set with cap for titrant bottle and tip
HI 84100-50	Titrant solution (110 mL)	HI 731316	Stir bar (5 pcs)
HI 84100-51	Alkaline reagent (500 mL)	HI 740036P	Beaker 50 mL (10 pcs.)
HI 84100-52	Acid reagent for total SO <sub>2</sub> determination (500 mL)	HI 740037P	Beaker 20 mL (10 pcs.)
HI 84100-53	Acid reagent for free SO <sub>2</sub> determination (500 mL)	HI 740198	Power cable





# **Wolf Laboratories Limited**

www.wolflabs.co.uk

Tel: 01759 301142

Fax:01759 301143

sales@wolflabs.co.uk







Use the above details to contact us if this literature doesn't answer all your questions.

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.





