Scotsman®
Ice Systems

ACM25

Other models in this range:
AC 46 - AC 56 - AC 86 - AC 106
AC 126 - AC 206 - AC 176 - AC 226

Self Contained Ice Machine up to 10 Kg







Features

- Produces individual Gourmet crystal clear supercubes
- Plug-n-play: does not require plumbing.
- (Bottled) Water is hand-poured into reservoir. Ideal for areas with poor water quality.
- Water forming from melting ice cubes in the storage bin is re-circulated into reservoir.
- Front panel water reservoir level indicator
- Up to 10 kg (22 lbs) daily ice cubes production
- Up to 3,5 kg (7,7 lbs) ice storage capacity
- Hygienic ABS plastic exterior
- Simple and reliable electro-mechanic controls
- Front panel in & out airflow (air-cooled model only) for built-in installation
- Ergonomically designed ice storage access, with disappearing door
- AgION antimicrobial agent embedded in selected molded plastics parts
- CFC-free R-134a Refrigerant
- 3 years manufacturer warranty

ACM 25 Technologies

		24h 10°:10°C [kg]	[lbs]	N°*	21°:15°C [kg]	[lbs]	N°*	[kg]	[lbs]	N°*	[WxDxH mm]	[WxDxH inches]	[v/Hz/ph]	R 134a
ACM 25 AE		10	22	500	9	20	450	3,5	7,7	175	386x380x640	14"x 14"x 25"	230/50/1	

*Estimate number of medium size gourmet cubes.

Medium Gourmet
20 g

Ø 29 x H 34 mm

This product qualifies for the following listings:

3 Years Warranty
Subject to certain limitations and exclusions

Certified ISO 9001:2000

www.scotsman-ice.it
www.scotsman-ice.com
www.scotsman-ice-on-tablet.com

Models and specifications are subject to change without notice.

9/2012

Scotsman
Ice Systems

ACM25

Other models in this range:
AC 46 - AC 56 - AC 86 - AC 106
AC 126 - AC 206 - AC 176 - AC 226

Self Contained Ice Machine up to 10 Kg



AC M 25 AE AIR COOLED

10°C	10	kg
50°F	22	lbs
21°C	9	kg
70°F	20	lbs
32°C	6.5	kg
90°F	14	lbs
38°C	5	kg
100F	11	lbs

AC M 25 AE MARINE AIR COOLED

10°C	10	kg
50°F	22	lbs
20°C	9	kg
70°F	20	lbs
30°C	7	kg
86°F	15	lbs
35°C	6	kg
95F	13	lbs

Minimum	Maximum
10°C (50°F)	40°C (104°F)
5°C (41°F)	35°C (95°F)
-10%	+10%
1 BAR 14 psi	5 BAR 70 psi

	+C° -C°	[Btu/h]	[W]	[Ømm²]	[W]	FUSE	[kWh] - 100 Kg	[l/h]	[gal/h]	[kg]	[lbs]	[kg]	[lbs]
AC M 25 AE		2250	660	3x1	250	10	n.a.	5.5	1.5	30	66	33	72

9/2012

Scotsman
Ice Systems

Europe
Scotsman Europe-Frimont S.p.A.
Ph/Fax +39-0293960208 / 0293960201
scotsman.europe@frimont.it
Paolo Moro

Middle East & N. Africa
Scotsman-Frimont Regional Office (MEnA)
Ph/Fax +97-16 5262944 / 165262946
m.dawood@frimont.ae
fernando.m@frimont.ae

Asia and Pacific
Scotsman Industries (S) PTE. L.T.D.
Ph/Fax +65-67385393 / 67381959
scotsman@scotsman.com.sg
Andrea Tronci

South Africa
Scotsman SA (Pty) Ltd - Ice Systems (Pty) Ltd
Ph +27-0105900609 / 0877200245/6/7/8
Fax: +27-118264123 / 0866340803
stuart@scotsmansa.co.za - jennifer@scotsman.co.za

India
Scotsman Group India
Ph/Fax : +91-1244002459 / direct 9560072459
david.owen@scotsman.com.sg

Spain
Scotsman España, S.L.U. c/ Galapagar, 12
Ph/Fax +34-911109796 / 916337423
scotsman@scotsman-espana.es
Daniel Doblado

China
Scotsman Ice Systems (Shanghai)
Ph/Fax : +86-2161313200 / 2161313330
scotsman.shanghai@scotsman-china.com
Andrew Clayton

Wolf Laboratories Limited

www.wolflabs.co.uk

Wolflabs

Tel: 01759 301142 Fax:01759 301143 sales@wolflabs.co.uk

Use the above details to contact us if this literature doesn't answer all your questions.

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.