

# AFC 134

**Scotsman**  
Ice Systems

Self Contained Ice Machine up to 130 kg

Item #:

Project:

Quantity:



## FEATURES

- Produces "Cubelet" ice (compressed ice flakes).
- Resistant stainless steel exterior.
- Reliable electronic controls.
- Front panel in & out airflow (air-cooled model only) for built-in installation.
- Front access condenser air filter, removable and washable (air cooled version only).
- Easily accessible front panel mount ON-OFF Switch.
- Routine Maintenance visible alarm light on front panel.
- Ergonomically designed ice-storage access, with disappearing door.



AFC 134  
Cubelet 1 g  
W 16 x D 15 x H 7-8 mm

## CONDENSING SYSTEM

Air cooled  
Water cooled

## INTERNAL BIN CAPACITY

40 kg

## REFRIGERANT GAS

R404A

## OPERATING REQUIREMENTS

	Minimum	Maximum
Air temperature	10°C	43°C
Water temperature	5°C	38°C
Water pressure	1 bar (14 psi)	5 bar (70 psi)
Electrical voltage	-10%	+10%

Certifications:



**IMPORTANT NOTICE:**  
Models and specifications are subject to change without notice. This spec sheet is meant for commercial purpose only. For technical documentation please refer to our service manuals.

Download our free App Scotsman Ice  
Apple store  
Google play  
Windows store

DOWNLOAD

Self Contained Ice Machine up to 130 kg

16 October 2017

Self Contained Ice Machine up to 130 kg

# AFC 134




Self Contained Ice Machine up to 130 kg

Item #:

Project:

Quantity:



UNIT DATA  Size (W x D x H) 950 x 605 x 872 mm  Net weight 68 kg   SHIPPING DATA  Carton (W x D x H) 1030 x 680 x 960 mm  Weight 79 kg					Compressor		Circuit wires		Max. fuse size
			Version	Voltage	Btu/h	W	No.	Ømm²	A
			AFC 134 AS	230/50/1	4606	1350	3	1.5	10
			AFC 134 WS	230/50/1	4606	1350	3	1.5	10
			AFC 134 AS	230/60/1	4606	1350	3	1.5	10
			24 h ice production kg °C Amb. / °C Water			Energy consumption*		Water usage*	Instant power
Version	Condensation	Voltage	10°C/10°C	21°C/10°C	32°C/21°C	kWh/100 kg	kWh/24h	l/h	W
AFC 134 AS	Air	230/50/1	130	127	92	14.9	13.7	3.8	600
AFC 134 WS	Water	230/50/1	130	124	110	11.0	12.2	59.4	500
AFC 134 AS	Air	230/60/1	130	127	92	14.9	13.7	3.8	600

(\*) Data refer to 32°C Amb. / 21°C Water temperature conditions



**Wolflabs**

# Wolf Laboratories Limited

[www.wolflabs.co.uk](http://www.wolflabs.co.uk)

Tel: 01759 301142

Fax: 01759 301143

[sales@wolflabs.co.uk](mailto:sales@wolflabs.co.uk)



**Use the above details to contact us if this literature doesn't answer all your questions.**

**Pricing on any accessories shown can be found by keying the part number into the search box on our website.**

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

