

AFC 134

Scotsman
Ice Systems

Self Contained Ice Machine up to 130 kg

Item #:

Project:

Quantity:



FEATURES

- Produces "Cubelet" ice (compressed ice flakes).
- Resistant stainless steel exterior.
- Reliable electronic controls.
- Front panel in & out airflow (air-cooled model only) for built-in installation.
- Front access condenser air filter, removable and washable (air cooled version only).
- Easily accessible front panel mount ON-OFF Switch.
- Routine Maintenance visible alarm light on front panel.
- Ergonomically designed ice-storage access, with disappearing door.



AFC 134
Cubelet 1 g
W 16 x D 15 x H 7-8 mm

CONDENSING SYSTEM

Air cooled
Water cooled

INTERNAL BIN CAPACITY

40 kg

REFRIGERANT GAS

R404A

OPERATING REQUIREMENTS

	Minimum	Maximum
Air temperature	10°C	43°C
Water temperature	5°C	38°C
Water pressure	1 bar (14 psi)	5 bar (70 psi)
Electrical voltage	-10%	+10%

Certifications:



IMPORTANT NOTICE:
Models and specifications are subject to change without notice. This spec sheet is meant for commercial purpose only. For technical documentation please refer to our service manuals.

Download our free App Scotsman Ice
Apple store
Google play
Windows store

DOWNLOAD

Self Contained Ice Machine up to 130 kg

16 October 2017

Self Contained Ice Machine up to 130 kg


AFC 134

Self Contained Ice Machine up to 130 kg

Item #:

Project:

Quantity:



UNIT DATA					Compressor		Circuit wires		Max. fuse size			
			Version	Voltage	Btu/h	W	No.	Ømm²	A			
			Size (W x D x H)	950 x 605 x 872 mm		AFC 134 AS	230/50/1	4606	1350	3	1.5	10
			Net weight	68 kg		AFC 134 WS	230/50/1	4606	1350	3	1.5	10
						AFC 134 AS	230/60/1	4606	1350	3	1.5	10
SHIPPING DATA												
Carton (W x D x H)	1030 x 680 x 960 mm											
Weight	79 kg											
			24 h ice production kg °C Amb. / °C Water			Energy consumption*		Water usage*	Instant power			
Version	Condensation	Voltage	10°C/10°C	21°C/10°C	32°C/21°C	kWh/100 kg	kWh/24h	l/h	W			
AFC 134 AS	Air	230/50/1	130	127	92	14.9	13.7	3.8	600			
AFC 134 WS	Water	230/50/1	130	124	110	11.0	12.2	59.4	500			
AFC 134 AS	Air	230/60/1	130	127	92	14.9	13.7	3.8	600			

(*) Data refer to 32°C Amb. / 21°C Water temperature conditions



Wolflabs

Wolf Laboratories Limited

www.wolflabs.co.uk

Tel: 01759 301142

Fax: 01759 301143

sales@wolflabs.co.uk



Use the above details to contact us if this literature doesn't answer all your questions.

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

