



## Under-counter Laboratory Refrigerator Solid Door 151L LSR151UK

LSR151UK

- ✓ 2°C to 10°C temperature range
- ✓ External digital controller and temperature display
- ✓ Fitted lock and 2 keys
- ✓ Spark free interior
- ✓ Audible and visual temperature alarms

### SPECIFICATION

Dimensions	595mm W x 845mm H x 595mm D
Weight	36kg
Product name	Under-counter Laboratory Refrigerator Solid Door 151L LSR151UK
GDPA code	LSR151UK
SKU code	UK 444440964, EU 444440965
External dimensions	595mm W x 845mm H x 595mm D
Internal dimensions	500mm W x 705mm H x 450mm D (step 185mm H x 165mm D)
Packed dimensions	657mm W x 884mm H x 694mm D
Product weight	36kg
Packed weight	40kg
Gross capacity	151L
Net capacity	146L
External finish	White

Colour	White/green
Internal finish	Plastic
Type of plastic	SRL800 (HIPS/ABS mix)
Door type	Solid
Door style	Hinged, reversible
Replacement door seal	N
Open door sensor	Y
Lock	Y
Adjustable feet	2 front, 2 rear rollers
Temperature range	2°C to 10°C
Temperature display on panel	Y
Temperature alarm	Y
Number of shelves	3
Shelf material	Wire
Number of shelf positions	6
Shelf size	320mm W x 6mm H x 520mm D
Interior light	N
Auto or manual defrost	Auto
Fan	N
Controller type	Digital, external
Climate class	SN
Refrigerant type	R600a
CFC free	Y
HFC free	Y
HCFC free	Y
UK 3 pin plug	Y
Voltage supply	230
Spark free	Y
Auxiliary output	N

Insulation thickness	45mm
Insulation type	Cyclopentane
Air temperature alarm	Y
Stacking kit compatible	Y



## Under-counter Laboratory Freezer Solid Door 151L LSF151UK

LSF151UK

- ✓ -18°C to -25°C temperature range
- ✓ External digital controller and temperature display
- ✓ Fitted lock and 2 keys
- ✓ Spark free interior
- ✓ Audible and visual temperature alarms

### SPECIFICATION

Dimensions	595mm W x 845mm H x 595mm D
Weight	36kg
Product name	Under-counter Laboratory Freezer Solid Door 151L LSF151UK
GDPA code	LSF151UK
SKU code	UK 444440968, EU 444440969
External dimensions	595mm W x 845mm H x 595mm D
Internal dimensions	500mm W x 705mm H x 450mm D (step 185mm H x 165mm D)
Packed dimensions	657mm W x 872mm H x 694mm D
Product weight	36kg
Packed weight	40kg
Gross capacity	151L
Net capacity	134L
External finish	White

Colour	White/green
Internal finish	Plastic
Type of plastic	SRL800 (HIPS/ABS mix)
Door type	Solid
Door style	Hinged, reversible
Door open depth	1165mm
Replacement door seal	N
Open door sensor	Y
Lock	Y
Adjustable feet	2 front, 2 rear rollers
Temperature range	-18°C to -25°C
Temperature display on panel	Y
Temperature alarm	Y
Number of baskets	3
Basket material	Wire
Number of shelf positions	Fixed
Interior light	N
Auto or manual defrost	Manual
Fan	N
Controller type	Digital, external
Climate class	SN
Refrigerant type	R600a
CFC free	Y
HFC free	Y
HCFC free	Y
UK 3 pin plug	Y
Voltage supply	230
Spark free	Y
Auxiliary output	Y

Insulation thickness	45mm
Insulation type	Cyclopentane
Air temperature alarm	Y
Stacking kit compatible	Y



## Stacking Kit

ASK151

- ✓ Space saver, perfect for environments where space is limited
- ✓ Safely stack 2 of our 151L units
- ✓ Easy to attach, installation is simple and takes just 5 minutes
- ✓ **IMPORTANT:** Only suitable for Lec Medical 151L under-counter units

## SPECIFICATION

Dimensions	225mm W x 100mm H x 190mm D
Weight	2.5kg
Product name	Stacking Kit ASK151
GDPA code	ASK151
SKU code	444443318
External dimensions	225mm W x 100mm H x 190mm D
Product Weight	2.5kg
Packed weight	3kg



**Wolflabs**

# Wolf Laboratories Limited

[www.wolflabs.co.uk](http://www.wolflabs.co.uk)

Tel: 01759 301142

Fax: 01759 301143

[sales@wolflabs.co.uk](mailto:sales@wolflabs.co.uk)



**Use the above details to contact us if this literature doesn't answer all your questions.**

**Pricing on any accessories shown can be found by keying the part number into the search box on our website.**

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

