

## Kingfisher

Solution & Blanket Warming Cabinets



Designed specifically for use in hospitals, the Kingfisher range of Solution & Blanket Warming Cabinets provide an accurate and cost-effective means for storing and warming a wide variety of clinical items such as:

- Infusion fluids
- Filled syringes
- LotionsOintments
- Irrigation fluids
- Blankets

The control panel has been designed to help prevent accidental or unauthorised tampering with the temperature control or ON/OFF switch. Temperatures are PID controlled and a digital temperature display constantly monitors chamber conditions. For additional security, a key or PIN operated door lock can be added to all models.

#### Features in the range include:

- Precise electronic temperature control
- Tamper-proof controls
- Over-temperature protection
- Radiused stainless steel interior
- Fan circulated (Solution Warming Cabinets only)
- Specially designed racks for I.V. bags (optional)
- PIN or key door locking (optional)

Kingfisher Blanket Warming Cabinets are suitable for storing solutions as well as blankets and are supplied with 2 or 4 shelves, depending on the model. These cabinets are not fan circulated, ensuring maximum storage and safety.

NB - Blankets must never be stored in a Solution Warming Cabinet.

### SPECIFICATIONS

#### **SOLUTION WARMING CABINETS**

Cat. No.	Nominal capacity (Litres)	Internal Dims, HxWxD, mm	External Dims, HxWxD, mm	No. of shelves	Power rating (Watts)	Air circulation	Temperature range °C	Storage capacity (1 Litre bottles)	Rack capacity (12 x IV bags per rack)
LK/SWC/01/1	72	350 x 520 x 400	570 x 620 x 630	1	250		5 above	12	1 (12)
LK/SWC/02/1	145	700 x 520 x 400	920 x 620 x 630	2	350	Fan		24	2 (24)
LK/SWC/03/1	176	850 x 520 x 400	1070 x 620 x 630	3	550	circulation ambient	ambient to 80	36	2 (24)*
LK/SWC/04/1	228	1100 x 520 x 400	1320 x 620 x 630	4	750			48	3 (36)*

\*These models are designed with spare storage space at the top for smaller bottles or other items.

#### **BLANKET WARMING CABINETS**

Cat. No.	Nominal capacity (Litres)	Internal Dims, HxWxD, mm	External Dims, HxWxD, mm	No. of shelves	Power rating (Watts)	Air circulation	Temperature range °C
LK/BWC/02/1	145	700 x 520 x 400	1100 x 620 x 630	2	350	Natural	5 above
LK/BWC/04/1	228	1100 x 520 x 400	1320 x 620 x 630	4	750	convection	ambient to 80

#### **OPTIONS AND ACCESSORIES**

LK/INC/11/0	Spare Shelf		
LK/SWC/10/0	Storage Rack to accommodate 12 x 1 litre Bags		
LK/SWC/13/0	K/SWC/13/0 Bogie with Lockable Castors		
LK/SWC/14/0	Stand with Lockable Castors		
LK/SWC/15/0	Stand without Castors		
LK/SWC/20/0	Wall Brackets for 72 litre model only		
LK/SWC/KEY	Lockable Door - Key Access		
LK/SWC/PIN	Lockable Door - PIN Access		
LK/SWC/SK	Stacking Kit		



Stand with Lockable Castors





Lockable Door - PIN Access

Bogie with Lockable Castors

### LTE SCIENTIFIC LTD



## **Wolf Laboratories Limited**

www.wolflabs.co.uk

Tel: 01759 301142

Fax:01759 301143

sales@wolflabs.co.uk



# Use the above details to contact us if this literature doesn't answer all your questions.

# Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.





