

LIEBHERR

LKexv 1800

Gross capacity, total	180 l
Product dimensions (H/W/D)	86 / 60.0 / 60.0 cm
Energy consumption in 24h	0.898 kWh / 24h



General product information

Product group	Lab refrigerator with mechanical control system
GTIN	9005382168356

Output and consumption

Energy consumption in 24h	0.898 kWh / 24h
Climate class	4
Noise level	47 dB
Net capacity, total	160 l
Gross capacity, total	180 l
Refrigerant	R 600a

11/19/2018

Cooling system, refrigerator compartment

LKxxv 1800 - Liebherr

dynamic

Defrosting method

automatic

Voltage

220-240 V ~

Frequency

50 Hz

Connection rating

1.0 A

Dimensions and weight

Product dimensions (H/W/D)

86 / 60.0 / 60.0 cm

Weight (with packaging)

41.0 kg

Weight (without packaging)

38.0 kg

Control and functions

Control

Mechanic control system

Control unit

Rotary control button

Temperature range

+1°C to +15°C

Temperature display

external digital

Malfunction: Warning signal

—

potential-free contact

—

Power failure alarm

—

Maximum fluctuation

7.4 °C

Gradient

10.2 °C

Design and features

Side wall material

steel

Colour

white

Door/Cover material

steel

Lock

fitted

Self-closing door

—

Door hinges

right interchangeable

Material of interior containers

Plastic white

Type of castors

—

Storage shelves, refrigerator compartment

4

of which height-adjustable

3

Storage shelf material, refrigerator compartment	glass
Load capacity storage shelf, refrigerator compartment	40 kg
Interior light, refrigerator compartment	—
Door design	HardLine
Handle	Ergonomic slimline handle

Please note: despite careful data management, we reserve the right to make technical changes; and discrepancies may occur between the image or text content and the original appliance.

LIEBHERR



Wolflabs

Wolf Laboratories Limited

www.wolflabs.co.uk

Tel: 01759 301142

Fax: 01759 301143

sales@wolflabs.co.uk



Use the above details to contact us if this literature doesn't answer all your questions.

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

