

Scilabub Limited



9 Huntingdon Court, Measham, Derbyshire, DE12 7NQ, UK.
 T: +44 (0) 1530 279996 F: +44 (0) 1530 270759
<http://www.scilabub.com> email: sales@scilabub.com

Technical Digest No S/9 Information for customer: Frosters Gloves

Stockcode	Style No	Style Ref	EN 420	Size
2720000011	V8659*	GLO/CMS	8	SMALL
2720000012	V8659*	GLO/CMM	9	MEDIUM
2720000013	V8659*	GLO/CML	10	LARGE
2720000014	V8659*	GLO/CMXL	11	XL
2720000021	V8659A*	GLO/CMELS	8	SMALL
2720000022	V8659A*	GLO/CMELM	9	MEDIUM
2720000023	V8659A*	GLO/CMELL	10	LARGE
2720000024	V8659A*	GLO/CMELXL	11	XL
2720000031	V8659EX*	GLO/CMEXS	8	SMALL
2720000032	V8659EX*	GLO/CMEXM	9	MEDIUM
2720000033	V8659EX*	GLO/CMEXL	10	LARGE
2720000034	V8659EX*	GLO/CMEXXL	11	XL
2721000011	V8659/P	GLO/CMS/WP	8	SMALL
2721000012	V8659/P	GLO/CMM/WP	9	MEDIUM
2721000013	V8659/P	GLO/CML/WP	10	LARGE
2721000014	V8659/P	GLO/CMXL/WP	11	XL
2721000021	V8659A/P	GLO/CMELS/WP	8	SMALL
2721000022	V8659A/P	GLO/CMELM/WP	9	MEDIUM
2721000023	V8659A/P	GLO/CMELL/WP	10	LARGE
2721000024	V8659A/P	GLO/CMELXL/WP	11	XL
2721000031	V8659EX/P	GLO/CMEXS/WP	8	SMALL
2721000032	V8659EX/P	GLO/CMEXM/WP	9	MEDIUM
2721000033	V8659EX/P	GLO/CMEXL/WP	10	LARGE
2721000034	V8659EX/P	GLO/CMEXXL/WP	11	XL

*Warning: These gloves may lose their insulative properties when wet. Gloves can be used under normal climatic conditions.

Gloves can be used up to 5 years after the date of manufacture if stored correctly. Store in original packaging. Store away from direct sunlight to maintain the optimum properties.

This glove series satisfies the basic requirements of the PPE Directive in being innocuous/free from nuisance factors, ergonomic and breathable. Conditions of use are not simulated by the test results and as such service life cannot be specified. Results should be used for guidance in initial selection.

Gloves are made to EN 420:2003 sizes.

Packaging/Labels: The gloves shall be wrapped in pairs by polymeric packaging. Each packet shall be labelled with the appropriate marking with regards to amount, type, size, manufacturer, performance level and CE mark. Each pair of gloves shall contain labels containing similar details. Each consignment will include an information sheet containing user instructions.

Warning:

Care Instructions: In the event of mild contamination, gloves may be rinsed in water and allowed to drip dry in ambient temperatures.

Test Results

Abrasion resistance:	2/2	EN388:2003
Tear resistance:	3/3	EN388:2003
Contact cold:	2/2	EN511:2006
Convective cold:	2/2	EN511:2006
Flexibility:	Pass/Pass	EN511:2006
Water Resistance**	0/Pass	EN511:2006



**The water resistance test does not apply to the glove styles marked with an * and they should not be immersed liquids as this may lead to a reduction in the insulative properties of the gloves.)

**The water resistance test does not apply to the glove styles marked with an *. They should not be immersed in liquids.

These gloves have been specifically designed for use when handling liquid gas where there is no risk of ignition and the user should not be exposed to the low temperatures for sustained periods. Guidance on exposure times/activity is given in EN 511:2006 Annex B down to temperatures of -30°C, although no temperature data is available for handling liquid gasses

Gloves should not be worn where there is a risk of entanglement with moving parts of machines. The whole glove performance may not reflect the performance of the outermost layer. Damaged gloves will not offer the same level of performance, and should be replaced.

The EC type examination was carried out by SGS United Kingdom, 202b Worle Parkway, Weston-super-Mare, BS22 6WA
 Notified body No 0120.

CE 0120

Further copies of this document and information on other products are available from: Scilabub Limited, 9 Huntingdon Court, Measham, Derbyshire, DE12 7NQ, UK.

T: +44 (0) 1530 279996 F: +44 (0) 1530 270759
<http://www.scilabub.com> email: sales@scilabub.com