

EF 124 EASY FIT

Scotsman
Ice Systems

Self Contained Ice Machine up to 120 kg

Item #:

Project:

Quantity:



FEATURES

- Produces granular shape ice flakes, 80% hardness.
- Ice scoop holder safely positioned in ice-storage bin.
- Advanced diagnostics computerized control.
- Front panel in and out airflow (air-cooled model only) for built-in installation.
- Front access condenser air filter, removable and washable (air cooled version only).
- Easily accessible, front panel mount, ON-OFF Switch.
- Easy, front panel access to technical / service area of the machine.
- PWD - Progressive Water Discharge: pumps excess residual water up to a distance of 15 meters.



EF 124 EASY FIT
Flake ice
Residual water content 25%

CONDENSING SYSTEM

Air cooled
Water cooled

INTERNAL BIN CAPACITY

40 kg

REFRIGERANT GAS

R404A

OPERATING REQUIREMENTS

VOLTAGE V/Hz/ph

230/50/1

Minimum

Maximum

Air temperature

10°C

43°C

Water temperature

5°C

38°C

Water pressure

1 bar
(14 psi)

5 bar
(70 psi)

Electrical voltage

-10%

+10%

Certifications:



IMPORTANT NOTICE:
Models and specifications are subject to change without notice. This spec sheet is meant for commercial purpose only. For technical documentation please refer to our service manuals.

Download our free App Scotsman Ice
Apple store
Google play
Windows store

DOWNLOAD

Self Contained Ice Machine up to 120 kg

16 October 2017

Self Contained Ice Machine up to 120 kg


EF 124 EASY FIT

Self Contained Ice Machine up to 120 kg

Item #:

Project:

Quantity:



| UNIT DATA | | | | | Compressor | | Circuit wires | | Max. fuse size | | | |
|---------------|--------------|----------|--|--------------------|---------------------|------------------------|---------------|-----------------|------------------|---|-----|----|
| | | | Version | Voltage | Btu/h | W | No. | Ømm² | A | | | |
| | | | Size (W x D x H) | 950 x 605 x 872 mm | | EF 124 AS | 230/50/1 | 4845 | 1420 | 3 | 1.5 | 10 |
| | | | Net weight | 68 kg | | EF 124 WS | 230/50/1 | 4845 | 1420 | 3 | 1.5 | 10 |
| | | | | | | | | | | | | |
| SHIPPING DATA | | | | | | | | | | | | |
| | | | Carton (W x D x H) | | 1030 x 680 x 960 mm | | | | | | | |
| | | | Weight | | 79 kg | | | | | | | |
| | | | 24 h ice production kg °C Amb. / °C Water | | | Energy consumption* | | Water usage* | Instant power | | | |
| Version | Condensation | Voltage | 10°C/10°C | 21°C/10°C | 32°C/21°C | kWh/100 kg | kWh/24h | l/h | W | | | |
| EF 124 AS | Air | 230/50/1 | 120 | 112 | 92 | 14.4 | 13.0 | 4.0 | 600 | | | |
| EF 124 WS | Water | 230/50/1 | 120 | 114 | 94 | 12.7 | 12.0 | 29.8 | 500 | | | |

(*) Data refer to 32°C Amb. / 21°C Water temperature conditions



Wolflabs

Wolf Laboratories Limited

www.wolflabs.co.uk

Tel: 01759 301142

Fax: 01759 301143

sales@wolflabs.co.uk



Use the above details to contact us if this literature doesn't answer all your questions.

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

