

Eits in. **Stands out.**



Introducing the NEW! Thermo Scientific[™] mySPIN[™]12 and 6 mini centrifuges

Fits in.

- To your space, with its compact footprint
- To your applications, with its flexibility
- To your timeline, with quick-spin options

Stands out.

- Standard safety features provide assurance
- Efficient and easy to use with ergonomic design, duplicate spin function and tool-free rotors





mySPIN 6 mini centrifuge

mySPIN 12 mini centrifuge

Compact design	Compact design
Easy to operate	Easy to operate
Quiet operation, low vibration	Quiet operation, low vibration
 Tool-free, quick rotor exchange 	Tool-free, quick rotor exchange
Quick-spin feature	Quick-spin feature
 Safety features: imbalance and tilt safety cut-out; safety interlock lid prevents opening while rotor is turning 	• Safety features: unit will not operate without lid in place
 Able to perform fast spins with higher RCF requirements up to 9,800 x g 	Palm-shaped lid for left- or right-handed users
 Back-lit, customizable display can be set for rpm or RCF 	Quick tube extraction

Packed with possibilities, the Thermo Scientific mySPIN 12 mini centrifuge is designed to give you maximum speed and flexibility in a minimized footprint. Its compact, ergonomic design fits on any workstation and is comfortable and easy for anyone to operate. Safety features help ensure it will not operate when the lid is open, a rotor is jammed, or the unit is out of balance. Ideal for most protocols requiring fast spins (12,500 rpm / 9,800 x g), and appropriate for PCR, microfilter cell separation, and HPLC protocols.

Bring efficiency and user comfort to your lab stations with the Thermo Scientific mySPIN 6 mini centrifuge. Ergonomic

design, tool-free rotors, and quick-spin options make it fast and easy to use. Efficient, compact footprint fits into a variety of workstations. Ideal for microfilter cell separations and HPLC samples, with adapters to accommodate all major microtube and PCR tube styles (2.0, 1.5, 0.5, 0.2 mL) for customized use.

Consistent, reproducible pipetting is finally here.

The Thermo Scientific[™] ClipTip[™] pipetting system locks tips firmly in place – designed to prevent tips from loosening or falling off, regardless of application pressure. Try it for yourself at **www.thermoscientific.com/cliptip.**



Thermo Scientific mySPIN Mini Centrifuge Series

Specifications	mySPIN 12 Mini Centrifuge	mySPIN 6 Mini Centrifuge
Max Capacity	12 x 2 mL	6 x 2 mL
Max Speed	12,500 rpm (100 rpm increments)	6,000 rpm (no speed adjustments available)
Max RCF	9,800 x g (100 x g increments)	2,000 x g (no g-force adjustments available)
Timer	1 second to 30 minutes (1 second increments) and quick-spin available	n/a
Noise Level	51-53 dBA	51-53 dBA
Power	110-240 V, 50-60 Hz with 4 interchangeable plug adapters	110-240 V, 50-60 Hz with 4 interchangeable plug adapters
Dimensions (D x W x H)	20.3 x 17.1 x 11.4 cm (8 x 6.7 x 4.4 in.)	15.3 x 12.8 x 10.4 cm (6 x 5 x 4.1 in.)
Weight	1.41 kg (3.1 lbs.)	0.74 kg (1.6 lbs.)
Certifications	CE, CSA, UL	CE, CSA, UL
Warranty ¹	2 years	2 years

¹ Subject to the Thermo Fisher Scientific standard limitied warranty. See thermoscientific.com or your sales representative for details.

Ordering Information

Thermo Scientific mySPIN 12 Mini Centrifuge		
Cat. No.	Description	
75004081	 mySPIN 12 mini centrifuge <i>Includes:</i> 12 x 1.5/2.0 mL tube rotor 32 x 0.2 mL tube rotor (singles or 4 x 8 strip) 0.2 mL tube adapters (set of 12) 0.5 mL tube adapters (set of 12) Universal power adapter 110-240V 50/60 Hz, with 4 interchangeable plug types 	
Replaceme	nt Parts	
75004083	12 x 1.5/2.0 mL tube rotor	
50144572	Rotor cover for 12 x 1.5/2.0 mL tube rotor (75004083)	
75004084	32 x 0.2 mL tube rotor (singles or 4 x 8 strip)	
50144571	Rotor knob	
50146145	Tube adapter inserts for 0.2/0.5 mL (12 per pack; 6 of each size)	
75004082	Power adapter	
20190362	Universal power cord	

Thermo Scientific mySPIN 6 Mini Centrifuge		
Cat. No.	Description	
75004061	 mySPIN 6 mini centrifuge <i>Includes:</i> 6 x 1.5/2.0 mL tube rotor 16 x 0.2 mL tube rotor (singles or 2 x 8 strip) 0.2 mL tube adapters (set of 6) 0.5 mL tube adapters (set of 6) Storage case for rotors and adapters Tube rack Universal power adapter 110-240V 50/60 Hz, with 4 interchangeable plug types 	
Replacemer	nt Parts	
75004062	6 x 1.5/2 mL circular rotor	
75004063	16 x 0.2 mL tube rotor (singles or 2 x 8 strip)	
20290729	Replacement O-ring	
50146145	Tube adapter inserts for 0.2/0.5 mL (12 per pack; 6 of each size)	
75004064	Power adapter and universal power cord set	



Wolf Laboratories Limited

www.wolflabs.co.uk

Tel: 01759 301142

Fax:01759 301143

sales@wolflabs.co.uk



Use the above details to contact us if this literature doesn't answer all your questions.

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.





