

Qi-100

5Litre Ultrasonic Cleaner

Ultrawave's Series are robust and reliable, delivering outstanding cleaning performance in a wide range of industries. From precision, pharmaceutical and medical device manufacturing to heavy duty cleaning in automotive and engineering processing.

The 2mm thick stainless steel tank provides longevity and durability whilst excellent ultrasonic activity is generated via Ultrawave's *Frequency Leap* technology.

Frequency Leap technology reduces dead spots and promotes homogenous cavitational activity within the tank. This provides a more consistent scrubbing action for highly effective cleaning results.





The **Qi-100** is a 5Litre ultrasonic cleaner with a menu driven, LCD control panel. This allows simple adjustment of cycle time (0 to 99mins or infinity mode), temperature (ambient to 80°C), ultrasonic power and frequency mode for precise and accurate processing.

Incorporating features such as degas mode and a fluid level sensor, the Qi-Series is reliable and durable, giving you consistent cleaning results every time.









Qi-100

5Litre Ultrasonic Cleaner

Construction Case 304 Stainless Steel

Construction Tank 316 Stainless Steel

Front Panel 304 Stainless Steel

Control Digital LCD

Overall Dimensions $375 \times 300 \times 310 \text{mm}$ (WxDxH)

Tank Dimensions $275 \times 125 \times 150 \text{mm}$ (WxDxH)

Basket Dimensions 250 x 110 x 75mm (WxDxH)

Capacity 5Litres

Ultrasonic Power 100W

Ultrasonic Power (per Litre) 20W/Litre

Operating Frequency 32 - 38KHz Frequency Leap

Maximum Heating Capacity Ambient - 80°C

Heater Power 300W

Timer 0 - 99 minutes or Infinity mode

Mains Connection 220 - 240V (50 - 60Hz)

Drain Outlet ½" BSP VALVE

Lid Stainless Steel

Basket Stainless Steel

Gross Weight 10KGs

(inc. lid, basket & packaging)

Net Weight 8KGs

Warranty 3 Years









Wolf Laboratories Limited

www.wolflabs.co.uk

Tel: 01759 301142

Fax:01759 301143

sales@wolflabs.co.uk







Use the above details to contact us if this literature doesn't answer all your questions.

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.





