

Product Name CELF98



Key Features

- -16C to -24°C temperature range
- Annual service & Calibration available
- Fitted lock with 2 keys



Flexible Storage

Multiple shelf locations. Back stop on every shelf provides a flexible storage solution.



Spark Free

No internal light or fan, suitable for a spark free laboratory.

Product Name CELF98

Details	
Net Capacity (litres)	98
Unit External Width (mm)	600
Unit External Depth (mm)	610
Unit External Height (mm)	850
Product Weight (kg)	36
Packed Width (mm)	630
Packed Depth (mm)	644
Packed Height (mm)	885
Packed Weight (Kg)	38
Temperature Range	--16°C to --24°C
External Finish	Painted Steel
Internal Finish	White Plastic
Battery Back up	No
Door Finish	Painted Steel
Door Type	Solid
Door Style	Hinged, Right hand - Reversible
Door Open Depth (mm)	1150
Replacement Door Seal	No
Open Door Sensor	No
Lock	Yes
Adjustable Feet (number)	Yes, 2
Porthole	No
Porthole location	N/A
Temperature Display on Panel	No
Temperature Alarm	No
Remote Alarm Contacts	No
Audible Alarms	No
Visual Alarms	No
Number of Shelves	3 Draws
Number of Shelf Positions	3
Shelf Material	Plastic
Interior Light	No
Light Type	N/A
Light Activation	N/A
Fan	No
Spark Free	Yes
Controller Type	Manual
Number of Probes	1
Probe Type	Air
Ambient Temperature Range	+10c to +30c
Refrigerant Type	R600a
CFC Free	Yes
HCFC Free	Yes
Ammonia Free	Yes
UK 3 Pin Plug	Yes
Voltage Supply	220-240V / 50Hz
Certification	CE/UK
Noise Level (dbA)	41
Energy Consumption (KWh/annum)	168
Energy Rating	E



WolfLabs

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

www.wolflabs.co.uk

Tel : 01759 301142

Fax : 01759 301143

sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.