Haier Biomedical

Intelligent Protection of Life Science

-86°C ULT Freezer

DW-86L388J







Energy saving

VIP(Vacuum Insulation Panel) design with extra insulation cuts down on heat loss to cabinet by 25% and helps reduce energy consumption by more than 20%, power consumption only 8 kWh/day



Slim design

Easily fits through every standard lab door and takes a small footprint



Reliable

Cabinet temperature can reach -86°C with temp uniformity within 5°C

Complementary products



CO₂ Backup Systems



Chart Recorder



Stainless Steel Racks



Cryo Boxes

Specifications DW-86L388J

Technical Data

Туре	-86°C ULT Freeer
Cabinet Type	Upright
Climate Class	N
Cooling Type	Direct cooling
Defrost Mode	Manual
Refrigerant	НС
Noise Lever (dB)	49

Performance

Cooling performance(°C)	-86
Temperature Range(°C)	-40~-86

Control

Controller	Microprocessor
Display	LED

Electrical Data

Power Supply(V/Hz)	220-240/50
Power(W)	650
Electrical Current(A)	5

Functions

High/Low Temperature	Υ	
Remote Alarm	Υ	
Hot Condenser	Υ	
Power Failure	Υ	
Sensor Error	Υ	
Low Battery	Υ	
High Ambient Temp	Υ	
Door Ajar	Υ	





Accessories

Caster	Υ
Foot	Υ
Test Hole	Y/2
Shelves/Inner Doors	3/2
Temperature Recorder	Optional
USB Interface	Υ
Rs232/485 Interface	Optional
CO₂ Backup System	Optional
LN₂ Backup System	Optional
Racks & Boxes	Optional

Dimensions

Capacity(L/Cu.Ft)	388/1	3.7
Net/Gross Weight(approx)	255/286(kg)	562.2/630.5(lbs)
Interior Dimensions(W*D*H)	465*716*1310(mm)	18.3*28.2*51.6(in)
Exterior Dimensions(W*D*H)	812*980*1980(mm)	32.0*38.6*78.0(in)
Packing Dimensions(W*D*H)	875*1055*2135(mm)	34.4*41.5*84.1(in)
Container load (20'/40'/40'H)	12/24	1/24

Accessories & consumables

DW-86L388J

Consumables

Racks	Part Code	
Model	DCJ-55-A DCJ-55-B	
Q'ty/Layer		6
Dimension (W*D*H)	138*685*293(mm) 5.4*27.0*11.5(in)	140*685*293(mm) 5.5*27.0*11.5(in)

Boxes	Part Code			
Model	T130	HBB-200-PP	HBB-281-PC	
Material	PP	PP	PC	
Dimension (W*D*H)		133*133*53.5(mm) 5.2	2*5.2*2.1(in)	
Q'ty/Rack		20		

Total Q'ty Racks 12 Boxes 300 Vials 30000 30000

CO₂ Backup System

Model	HBX-IC
Temperature range	-40°C to -70°C

LN₂ Backup System

Model	HBX- Ⅱ A
Temperature range	-90°C to -135°C

Chart Recorder

Temperature range +50°C to -115°C

Others

Certificate CE

Complementary products





Stainless Steel Racks



Chart Recorder



Cryo Boxes

Haier Biomedical UK













Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

www.wolflabs.co.uk

Tel: 01759 301142

Fax: 01759 301143

sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.