



C-MAG HP 7 /// Data Sheet

Hotplate made of ceramic glass which offers excellent chemical resistance.

- Fixed safety circuit of 550 °C
- Hot Top indicator >> hot surface warning to prevent burns!!
- Exact temperature setting via digital display (LED)
- Bushing according to DIN 12878 for connecting a contact thermometer, e.g. ETS-D5, enables precise temperature control
- Digital error code display
- Elevated control panel for protection against leaking liquids



Technical Data

Number of heating points	1	
Heat output [W]	1000	
Heating temperature range [°C]	50 - 500	
Heat control	LED	
Connection for ext. temperature sensor	ETS-D5	
Volume max. [l]	10	
Heating rate heating plate [K/min]	5	
Set-up plate material	ceramic	
Set-up plate dimensions [mm]	180 x 180	
Dimensions (W x H x D) [mm]	220 x 105 x 330	
Weight [kg]	4.4	
Permissible ambient temperature [°C]	5 - 40	
Permissible relative humidity [%]	80	
Protection class according to DIN EN 60529	IP 21	
Voltage [V]	230 / 120 / 100	
Frequency [Hz]	50/60	
Power input [W]	1005	



Pricing on any accessories shown can be found by keying the part number into the search box on our website. The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

www.wolflabs.co.uk

Tel : 01759 301142 Fax : 01759 301143 sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.