



## COUNTERTOP LABORATORY FRIDGE SOLID DOOR 47L



- ✓ **+2° C to +10° C Operating Temperature Range**  
Conforms to MHRA guidelines
- ✓ **Unique Anti Microbial Handle**  
Helps prevent the growth of bacteria and minimise the potential for cross contamination
- ✓ **Fitted Lock as Standard**  
Maintains security and ensures the unit can only be accessed by approved personnel
- ✓ **Wire Shelves and Basket**  
Enables optimum air flow inside unit
- ✓ **Audible Warning Alarms**  
Alerts user should internal temperature deviate from set parameters

SKU CODE:	PRODUCT CODE:	DESCRIPTION:
444411348	LSFSR47DC-UK	Countertop Laboratory Fridge Solid Door 47L White



## FULL SPECIFICATION – LSFSR47DC-UK COUNTERTOP LABORATORY FRIDGE SOLID DOOR 47L WHITE

<b>Description</b>	Countertop
<b>SKU Code</b>	444411348
<b>EAN Code</b>	5052263113480
<b>GDPA Code</b>	LSFSR47DC-UK
<b>Gross Capacity (L)</b>	47
<b>Net Capacity (L)</b>	30
<b>Unit External Width (mm)</b>	475
<b>Unit External Depth (mm)</b>	445
<b>Unit External Height (mm)</b>	565
<b>Product Weight (kg)</b>	17.5
<b>Packed Width (mm)</b>	490
<b>Packed Depth (mm)</b>	530
<b>Packed Height (mm)</b>	620
<b>Packed Weight (kg)</b>	21.5
<b>Country of Origin</b>	UK
<b>Internal Dimensions (mm) (WxDxH)</b>	409 x 354 x 425
<b>External Finish</b>	White
<b>Internal Finish</b>	White
<b>Type of Plastic</b>	SRL800 (HIPS/ABS Mix)
<b>Temperature Range</b>	+2° C to +10° C
<b>Colour</b>	White/Green
<b>Door Type</b>	Solid
<b>Door Style</b>	Hinged, Reversible
<b>Door Open Depth (mm)</b>	905
<b>Replacement Door Seal</b>	No
<b>Open Door Sensor</b>	Yes
<b>Lock</b>	Yes
<b>Adjustable Feet</b>	Yes
<b>Temperature Display on Panel</b>	Yes
<b>Temperature Alarm</b>	Yes
<b>Number of Shelves</b>	2
<b>Number of Shelf Positions</b>	3
<b>Shelf Size</b>	416 x 200
<b>Shelf Material</b>	Wire
<b>Moulded Drawers</b>	0
<b>Adjustable Door Bins</b>	0
<b>Interior Light</b>	No
<b>Fan</b>	No
<b>Spark Free</b>	Yes
<b>Auto or Manual defrost</b>	Automatic
<b>Controller type</b>	Digital, External
<b>Climate Class</b>	N
<b>Refrigerant Type</b>	R600a
<b>CFC Free</b>	Yes
<b>HFC Free</b>	Yes
<b>HCFC Free</b>	Yes
<b>UK 3 Pin Plug</b>	Yes
<b>Other Plug Types Available</b>	Yes
<b>Voltage Supply</b>	230
<b>Aux Output</b>	No
<b>Insulation Thickness (mm)</b>	40
<b>Insulation Type</b>	Cyclopentane
<b>Anti Microbial Handle</b>	Yes



# WolfLabs

**Pricing on any accessories shown can be found by keying the part number into the search box on our website.**

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

**[www.wolflabs.co.uk](http://www.wolflabs.co.uk)**

**Tel : 01759 301142**

**Fax : 01759 301143**

**[sales@wolflabs.co.uk](mailto:sales@wolflabs.co.uk)**

Please contact us if this literature doesn't answer all your questions.