



PGR1200UK Large Pharmacy Refrigerator Glass Door 1200L

PGR1200UK

- ✓ 2°C to 8°C temperature range
- ✓ External digital controller and temperature display showing air and core temperatures
- ✓ Fitted lock and 2 keys
- ✓ Audible and visual temperature alarms
- ✓ Temperature monitoring software records air and load temperatures constantly and also holds a full 7 day alarm history
- ✓ USB data download
- ✔ Power failure alarm

SPECIFICATION

Dimensions	1300mm W x 1995mm H x 840mm D
Weight	210kg
Product name	Large Pharmacy Refrigerator Glass Door 1200L PGR1200UK
GDPA code	PGR1200UK
SKU code	UK 444440366, EU 444442592
External dimensions	1300mm W x 1995mm H x 840mm D
Internal dimensions	1220mm W x 1386mm H x 653mm D
Packed dimensions	1480mm W x 2196mm H x 990mm D
Product weight	210kg
Packed weight	230kg
Gross capacity	1200L
External finish	Stainless steel

Internal finish Stainless steel Type of plastic SRL800 (HIPS/ABS mix) Door type Glass Door finish Painted stainless steel Door style Hinged Open door depth 1145mm Replacement door seal Y Open door sensor Y Lock Y Adjustable feet Fitted castors Temperature range 2°C to 8°C Temperature display on panel Y Temperature alarm Y Number of shelves 10 Shelf material Wire Number of shelf positions 40 Shelf size 645mm W x 523mm D Interior light Y Auto or manual defrost Auto
Door type Class Door finish Painted stainless steel Door style Hinged Open door depth 1145mm Replacement door seal Y Open door sensor Y Lock Y Adjustable feet Fitted castors Temperature range 2°C to 8°C Temperature display on panel Y Number of shelves 10 Shelf material Wire Number of shelf positions 40 Shelf size 645mm W x 525mm D Interior light
Door finish Painted stainless steel Door style Hinged Open door depth 1145mm Replacement door seal Y Open door sensor Y Lock Y Adjustable feet Fitted castors Temperature range 2°C to 8°C Temperature display on panel Y Temperature alarm Y Number of shelves 10 Shelf material Wire Number of shelf positions 40 Shelf size 645mm W x 523mm D Interior light Y
Door styleHingedOpen door depth1145mmReplacement door sealYOpen door sensorYLockYAdjustable feetFitted castorsTemperature range2°C to 8°CTemperature display on panelYTemperature alarmYNumber of shelves10Shelf materialWireNumber of shelf positions40Shelf size645mm W x 523mm DInterior lightY
Open door depth1145mmReplacement door sealYOpen door sensorYLockYAdjustable feetFitted castorsTemperature range2°C to 8°CTemperature display on panelYTemperature alarmYNumber of shelves10Shelf materialWireNumber of shelf positions40Shelf size645mm W x 523mm DInterior lightY
Replacement door seal Y Open door sensor Y Lock Y Adjustable feet Fitted castors Temperature range 2°C to 8°C Temperature display on panel Y Temperature alarm Y Number of shelves 10 Shelf material Wire Number of shelf positions 40 Shelf size 645mm W x 523mm D Interior light Y
Open door sensorYLockYAdjustable feetFitted castorsTemperature range2°C to 8°CTemperature display on panelYTemperature alarmYNumber of shelves10Shelf materialWireNumber of shelf positions40Shelf size645mm W x 523mm DInterior lightY
Lock Y Adjustable feet Fitted castors Temperature range 2°C to 8°C Temperature display on panel Y Temperature alarm Y Number of shelves 10 Shelf material Wire Number of shelf positions 40 Shelf size 645mm W x 523mm D Interior light Y
Adjustable feet Fitted castors Temperature range 2°C to 8°C Temperature display on panel Y Temperature alarm Y Number of shelves 10 Shelf material Wire Number of shelf positions 40 Shelf size 645mm W x 523mm D Interior light Y
Temperature range 2°C to 8°C Temperature display on panel Y Temperature alarm Y Number of shelves 10 Shelf material Wire Number of shelf positions 40 Shelf size 645mm W x 523mm D Interior light Y
Temperature display on panel Y Temperature alarm Y Number of shelves 10 Shelf material Wire Number of shelf positions 40 Shelf size 645mm W x 523mm D Interior light Y
Temperature alarm Y Number of shelves 10 Shelf material Wire Number of shelf positions 40 Shelf size 645mm W x 523mm D Interior light Y
Number of shelves 10 Shelf material Wire Number of shelf positions 40 Shelf size 645mm W x 523mm D Interior light Y
Shelf materialWireNumber of shelf positions40Shelf size645mm W x 523mm DInterior lightY
Number of shelf positions 40 Shelf size 645mm W x 523mm D Interior light Y
Shelf size 645mm W x 523mm D Interior light Y
Interior light Y
Auto or manual defrost Auto
Fan Y
Controller type Digital, external
Climate class ST
Refrigerant type R600a
CFC free Y
HFC free Y
HCFC free Y
Ammonia free Y
UK 3 pin plug Y
Voltage supply 230

Spark free	N
Auxiliary output	Υ
Insulation thickness	60mm
Insulation type	Cyclopentane
Battery low alarm	Y (visual)
Air/load/defrost sensor fail alarm	Y (visual)
Compressor alarm	Y (visual)
Door open alarm	Y (visualand audio)
Air temperature alarm	Y (visualand audio)
Mains failure alarm	Y (visualand audio)
Antimicrobial handle	N
Optional drawer system available	N





Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

www.wolflabs.co.uk

Tel: 01759 301142

Fax: 01759 301143

sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.