Diaphragm Pumps for Air, Gases and Vapours

INNOVATIVE TECHNOLOGY



LABOPORT[®] Chemicallyresistant Diaphragm Vacuum Pumps

Technical features:

100% oil-free transfer

NEUBERGER

- Pure transfer, evacuation and
- compression
- Highly compatible with vapours and condensation
- Chemically-resistant
- Therefore suitable for highly aggressive or corrosive gases and vapours
- Maintenance-free
- Environmentally friendly
- Gastight, leakage rate approx. 6 x 10⁻³ mbar x l/s, not tested in serial production.

Series LABOPORT® N 810 FT.18, N 810.3 FT.18 Pumps

The chemically-resistant series N 810 and N 810.3 diaphragm pumps are single- and double-head, dry-running devices used in a wide range of laboratory applications. They transfer and pump down without contamination.

The heart of these very compact pumps is a KNF structured diaphragm. This patented diaphragm was stress-optimized using the Finite Elements method. As a result, we were able to make the pumps smaller while increasing the service life of the diaphragm.

Material in contact with the pumped media

Type/OrderNo.	Pump head	Diaphragm	Valves
N 810 FT.18	PTFE	PTFE-coated	FFPM
N 810.3 FT.18	PTFE	PTFE-coated	FFPM

Technical data:	N 810 FT.18	N 810.3 FT.18	
Delivery (I/min) ¹⁾	10	10	
Ultimate vacuum (mbar abs.)	100	8	
Operating pressure (bar g)	1	1	
Connectors for tube (mm)	ID 10	ID 10	
Permissible gas and			
ambient temperature	+5+40 °C	+5+40 °C	
Voltage/Frequencies	230V/50Hz	230V/50Hz	
Mains	IP 44	IP 44	
Power P ₁	100 W	90 W	
Operating current	0.6 A	0.6 A	
Weight	5.9 kg	6.9 kg	
Dimensions			
LxHxW (mm)	256/187/146	281/187/140	
With thermal switch and power fuse			

Motors with other voltages and frequencies on request.

1) at atm. pressure

Dimensions and performance characteristics

Pump down time for 10 I receiver



Performance characteristics



KNF reserves the right to make changes.

Diaphragm Pumps for Air, Gases and Vapours

N 810.3 FT.18 N 810.3 FT.18 atm. Press. Vacuum 1013 10 Flow capacity l/min (Litre at STP) 800 8 600 6, 400 4 ▼ mbaı 200 2 0 0 12 16 20 ö 100 200 300 400 500 600 700 800 900 1013 24 0 8 ┢ ► min ► mbar ł

Pump down time for 10 I receiver

Performance characteristics

Dimensions (mm)





Spare parts

Description	Details	Order No.
Spares kit	for N 810 FT.18	058077
Spares kit	for N 810.3 FT.18	057357



Pricing on any accessories shown can be found by keying the part number into the search box on our website. The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

www.wolflabs.co.uk

Tel : 01759 301142 Fax : 01759 301143 sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.