




Binocular stereozoom microscope head,
6.7x...45x

Observation Method - Transmitted Light	Brightfield	As optional
	Darkfield	As optional
	Simple polarized light	As optional
Observation Method - Incident Light	Brightfield	Yes
	Simple polarized light	As optional
Head	Type	Binocular
	Construction material	Plastic mold / Aluminum gears
	Inclination	45°
	360° rotating	Yes
	Interpupillary distance (mm)	51-75
	Fixing screw for eyepieces	Yes
	Head holder internal diameter (mm)	76
	Tube inner diameter (mm)	30
Eyepieces	Field number (mm)	22
	Magnification	10x
	Micrometric scale	As optional
	Diameter of micrometer glass (mm)	26
	High eyepoint (for glass wearers)	Yes
	Dioptric adjustment	Yes
	Rubber cup	Yes
Objective	Optical system	Greenough
	Anti-fungus treatment	Yes
	Zoom type	Parfocal achromatic
	Working distance (mm)	100
	Standard magnifications	6.7x-45x
	Zoom ratio	6.72
Accessories Included	Dust cover	Yes
	User Manual	Digital version (downloadable)
Product Dimensions	Head height (mm)	235
	Head width (mm)	180
	Head depth (mm)	195
Product Weight	(kg)	1.5



Focusing System	Type	Coarse
	Coarse total travel (mm)	50
	Adjustable tension	Yes
	Head holder internal diameter (mm)	76
Accessories Included	User Manual	Digital version (downloadable)
Product Dimensions	Total height (mm)	100
	Total width (mm)	150
	Total depth (mm)	250
Product Weight	(kg)	1



Simple stand, pillar type

Observation Method - Incident Light	Brightfield	As optional
	Simple polarized light	As optional
Stand	Type	Pillar
	Pillar diameter (mm)	32
Stage	Black/white contrast plate for incident ill.	Yes, diameter 95 mm
	Specimen clips	Yes
Accessories Included	Dust cover	Yes
	User Manual	Digital version (downloadable)
Product Dimensions	Total height (mm)	275
	Base height (mm)	25
	Base width (mm)	210
	Base depth (mm)	270
Product Weight	(kg)	1.4



WolfLabs

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

www.wolflabs.co.uk

Tel : 01759 301142

Fax : 01759 301143

sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.