# The Multi-Task Genie<sup>™</sup> Family





#### HIGH SPEED MIXER

#### THE ORIGINAL

### INTEGRATED TIMER

#### DIGITAL CONTROL

available

#### Vortex-Genie<sup>®</sup> 1 Vortex-Genie<sup>®</sup> 2 Vortex-Genie<sup>®</sup> 2T Digital Vortex-Genie<sup>®</sup> 2 Same great features as the • Same great features as the Violent single high-speed vortexing OUR MOST POPULAR MODEL Vortex-Genie 2 with an integrated Vortex-Genie 2 with digital control and display of speed and time timer Easy-to-use Touch On operation Variable speed for precise mixing from gentle to vigorous Digital display provides accuracy, • Timer function: • Large, 6mm orbit for aggressive reproducibility and repeatability - Touch On: 1-60 sec. vortexing of difficult samples Broad range of attachments for - Hands-Free: 1-60 min. or • Timer function: most tubes, plates and other continuous - Touch On: 1-99 sec. May be used with Pop-off Cup containers - Hands-Free: 1-99 min. or (shown) or optional 3-inch Platform • Unit automatically stops at the continuous Hands-Free or Touch On control end of user-programmed time May be used in cold rooms and • May be used in cold rooms and incubators • May be used in cold rooms and incubators May be used in cold rooms and incubators incubators • Specially configured unit for Applied Biosystems protocol

SPECIFICATIONS					
Vortex-Genie Model	Vortex-Genie 1	Vortex-Genie 2	Vortex-Genie 2T	Digital Vortex-Genie 2	
Supplied	Pop-off Cup	3-inch Platform, Pop-off Cup	3-inch Platform, Pop-off Cup	3-inch Platform, Pop-off Cup	
Speed (RPM)	3200 (2700 for 50Hz models)	600-3200 (2700 for 50Hz models)	600-3200 (2700 for 50Hz models)	500-3000 (2850 for 50Hz models)	
Timer - Touch On: Hands-Free:	N/A	N/A	1-60 seconds 1-60 minutes or continuous	1-99 seconds 1-99 minutes or continuous	
Weight	4 Kg (8.8 lb)	4 Kg (8.8 lb)	4 Kg (8.8 lb)	4 Kg (8.8 lb)	
Dimensions (base) (D x W x H)	165 x 122 x 165mm (6.5 x 4.8 x 6.5in)	165 x 122 x 165mm (6.5 x 4.8 x 6.5in)	165 x 122 x 165mm (6.5 x 4.8 x 6.5in)	165 x 122 x 165mm (6.5 x 4.8 x 6.5in)	
Markings / Warranty	ETL, CE / 2 years	ETL, CE / 2 years	ETL, CE / 2 years	CE / 2 years	
CATALOG NUMBERS AB MODE					
120V (North America)	SI-0136	SI-0236 (Model G560)	SI-T236	SI-A236	SI-A536
230V - No Plug	SI-0146	SI-0246 (Model G560E)	SI-T246	SI-A246	SI-A546
230V - European Plug	SI-0156	SI-0256 (Model G560E)	SI-T256	SI-A256	SI-A556
230V - British Plug	SI-0166	SI-0266 (Model G560E)	SI-T266	SI-A266	SI-A566
230V - Swiss Plug	SI-0176	SI-0276 (Model G560E)	SI-T276	SI-A276	SI-A576
240V - Australian Plug	SI-0196	SI-0297 (Model G560E)	SI-T296	SI-A296	SI-A596
100V	SI-0186	SI-0286	SI-T286	SI-A286	SI-A586

See back page for additional Vortex-Genie 2, Vortex-Genie 2T and NEW Digital Vortex-Genie 2 accessories.

U.S. Pats. 4,781,487 / 5,707,861



## Multi-Task Genie<sup>™</sup> Family Accessories

### Accessories for all Vortex-Genie<sup>®</sup> 2 mixers and Vortex-Genie<sup>®</sup> Pulse



26

---

SI-V525

0K-0236-408

Vertical (6) 50ml, (6) 15ml, (12) Microtube Holder

Bottom Closure with Screws Kit †

-- 580-2013-00 Rubber Cover for 3-inch Platform

\* May be used with TurboMix attachment or Disruptor Genie®

146-3011-00

0K-0500-902

\*\* 6-inch Platform Required

\*\*\* Recessed Platform Required † May not fit older models. Please inquire.

NOTE: Vortex-Genie 1 may only be used with Pop-off Cup and 3-inch Platform

Pop-off Cup

3-inch Platform with Rubber Cover

U.S. Pat. 5,707,861

11

12





Pricing on any accessories shown can be found by keying the part number into the search box on our website. The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

## www.wolflabs.co.uk

Tel : 01759 301142 Fax : 01759 301143 sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.