# Self Contained Ice Machine 10 kg

# **ACM 25**

Scotsman	e
Ice Systems	

Item #:
Project:
Quantity:

# Self Contained Ice Machine 10 kg



### **FEATURES**

- Produces individual Gourmet crystal clear ice cubes. Hygienic ABS plastic exterior. Plug-n-play: does not require plumbing.
- • (Bottled) Water is hand-poured into reservoir. Ideal for areas with poor water quality. Front panel water reservoir level indicator.
- Water forming from melting ice cubes in the storage bin is re-circulated into reservoir.
- Simple and reliable electro-mechanic controls.
- Front panel in and out airflow (air-cooled model only) for built-in installation.
- Front access condenser air filter, removable and washable (air cooled model only).
- Easily accessible front panel mount ON-OFF switch.
- Ergonomically designed ice storage access, with disappearing door. Door-closing movement dampening system.

AC M 25 **Medium Gourmet** 20 g Ø 30 x H 34 mm

# CONDENSING SYSTEM

Air cooled

REFRIGERANT GAS

R134a

INTERNAL BIN CAPACITY

3 kg

VOLTAGE V/Hz/ph

230/50/1 230/60/1

### **CERTIFICATIONS**









### **OPERATING REQUIREMENTS**


	Minimum	Maximum
Air temperature	10	38
Water temperature	5	38
Water pressure	1 bar (14 psi)	5 bar (70 psi)
Electrical voltage	-10	10

# **ACM 25**

# **Scotsman**° Ice Systems

# Self Contained Ice Machine 10 kg

Item #:
Project:
Quantity:



Net weight	t 31 kg			Weight	34 kg							
24 h ice product °C Amb. / °C W					Water usage (*)	Instant power	Compressor	Circuit wires	Max. fuse size			
Version	Voltage	10°C/10°C	21°C/10°C	32°C/21°C	kWh/	kWh/	1.0	1.0				
		kg	kg	kg	100 kg	24h	l/h	W	W	No. x Ømm²	Α	
AC M 25 AE	230/50/1	10	10	9	92.0	6.0	0.3	270	510	3 x 1.0	10	
AC M 25 AE	230/60/1	10	10	9	92.0	6.0	0.3	270	510	3 x 1.0	10	

(\*) Data refer to 32°C Amb. / 21°C Water temperature conditions



Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

## www.wolflabs.co.uk

Tel: 01759 301142

Fax: 01759 301143

sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.