# EC 207 xSafe Eco

## **Scotsman**<sup>®</sup> Ice Systems

Self	Contained	Ice	Machine	145	kg

Item #:
Project:
Quantity:



#### **FEATURES**

- Produces individual Gourmet crystal clear supercubes.
- Resistant stainless steel exterior.
- Front panel in and out airflow (air cooled model only) for built-in installation
- Front access condenser air filter, removable and washable (air cooled model only).
- Easily accessible front ON-OFF switch. Routine maintenance visible alarm light on front panel.
- Ergonomically designed ice storage access, with disappearing door. Door-closing movement dampening system.
- PWD Progressive Water Discharge: pumps excess residual water up to a distance of 15 meters.
- XSafe: natural sanitation system, integrated inside the ice maker and operating automatically 24/7 to keep equipment clean & safe.



EC M 207 **Medium Gourmet** 20 g Ø 30 x H 34 mm CONDENSING SYSTEM

Air cooled

REFRIGERANT GAS

R290

INTERNAL BIN CAPACITY

50 kg

VOLTAGE V/Hz/ph

230/50/1

#### **CERTIFICATIONS**



#### **OPERATING REQUIREMENTS**

	Minimum	Maximum				
Air temperature	10	43				
Water temperature	5	38				
Water pressure	1 bar (14 psi)	5 bar (70 psi)				
Electrical voltage	-10%	+10%				

#### IMPORTANT NOTICE:


Models and specifications are subject to change without notice. This spec sheet is meant for commercial purpose only. For technical documentation please refer to our service manuals.

# EC 207 XSafe Eco



### Self Contained Ice Machine 145 kg

Item #:
Project:
Quantity:



Size (W x D x H) 1250 x 622 x 809 mm		Carton (W x D x H)	1) 1320 x 690 x 960 mm								
Net weight 84 kg			Weight	97 kg	97 kg						
l l		h ice producti C Amb. / °C W	,		ergy ption (*)	Water usage (*)	Instant power	Compressor	Circuit wires	Max. fuse size	
Version	Voltage	10°C/10°C kg	<b>21°C/10°C</b> kg	<b>32°C/21°C</b> kg	kWh/ 100 kg	kWh/ 24h	l/h	w	w	No. x Ømm²	Α
FCM 207 AS	230/50/1	145	150	115	19 3	22.2	18	1170	1536	3 x 1 5	10

(\*) Data refer to 32°C Amb. / 21°C Water temperature conditions



Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

### www.wolflabs.co.uk

Tel: 01759 301142

Fax: 01759 301143

sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.