

EC 227













xSafe EcoX

Scotsman

Ice Systems

Self Contained Ice Machine 165 kg

Item #:
Project:
Quantity:

		FEATURES <ul style="list-style-type: none">• Produces individual Gourmet crystal clear supercubes.• Resistant stainless steel exterior.• Front panel in and out airflow (air cooled model only) for built-in installation.• Front access condenser air filter, removable and washable (air cooled model only).• Easily accessible front ON-OFF switch. Routine maintenance visible alarm light on front panel.• Ergonomically designed ice storage access, with disappearing door. Door-closing movement dampening system.• PWD - Progressive Water Discharge: pumps excess residual water up to a distance of 15 meters.• XSafe: natural sanitation system, integrated inside the ice maker and operating automatically 24/7 to keep equipment clean & safe.																
 <div>EC M 227 Medium Gourmet 20 g Ø 30 x H 34 mm</div>	CONDENSING SYSTEM Air cooled	INTERNAL BIN CAPACITY 70 kg																
	REFRIGERANT GAS R290																	
	VOLTAGE V/Hz/ph 230/50/1																	
CERTIFICATIONS <div></div>		OPERATING REQUIREMENTS <table><tr><th></th><th>Minimum</th><th>Maximum</th></tr><tr><td>Air temperature</td><td>10</td><td>43</td></tr><tr><td>Water temperature</td><td>5</td><td>38</td></tr><tr><td>Water pressure</td><td>1 bar (14 psi)</td><td>5 bar (70 psi)</td></tr><tr><td>Electrical voltage</td><td>-10%</td><td>+10%</td></tr></table>			Minimum	Maximum	Air temperature	10	43	Water temperature	5	38	Water pressure	1 bar (14 psi)	5 bar (70 psi)	Electrical voltage	-10%	+10%
	Minimum	Maximum																
Air temperature	10	43																
Water temperature	5	38																
Water pressure	1 bar (14 psi)	5 bar (70 psi)																
Electrical voltage	-10%	+10%																
IMPORTANT NOTICE: Models and specifications are subject to change without notice. This spec sheet is meant for commercial purpose only. For technical documentation please refer to our service manuals																		

Self Contained Ice Machine 165 kg

EC 227 *xSafe* EcoX





Self Contained Ice Machine 165 kg

Scotsman®
Ice Systems

Item #:


Project:

Quantity:



UNIT OF MEASUREMENT: mm

1. 3/4" OD - OVERFLOW DRAIN
2. 3/4" GAS - WATER INLET
3. 3/4" GAS - WATER OUTLET
WATER COOLED UNIT ONLY
4. 3/4" GAS - WATER INLET
WATER COOLED UNIT ONLY
5. CORD SET



UNIT DATA				SHIPPING DATA				(*) Data refer to 32°C Amb. / 21°C Water temperature conditions			
Size (W x D x H)		1078 x 719 x 1082 mm		Carton (W x D x H)		1150 x 780 x 1160 mm					
Net weight		98 kg		Weight		112 kg					
		24 h ice production kg °C Amb. / °C Water			Energy consumption (*)		Water usage (*)	Instant power	Compressor	Circuit wires	Max. fuse size
Version	Voltage	10°C/10°C	21°C/10°C	32°C/21°C	kWh/ 100 kg	kWh/ 24h	l/h	W	W	No. x Ømm²	A
		kg	kg	kg							
ECM 227 AS	230/50/1	165	160	130	21.5	28	20.6	1400	3620	3 x 1.5	16



WolfLabs

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

www.wolflabs.co.uk

Tel : 01759 301142

Fax : 01759 301143

sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.