




AF 124 *XSafe*

Self Contained Ice Machine 122 kg



Item #:
Project:
Quantity:

<div></div>		<div>FEATURES<ul style="list-style-type: none">• Produces granular shape ice flakes, 75% hardness. Ice scoop holder safely positioned in ice-storage bin.• Resistant stainless steel exterior.• Advanced diagnostics computerized control.• Front panel in & out airflow (air-cooled model only) for built-in installation.• Front access condenser air filter, removable and washable (air cooled version).• Easily accessible, front panel mount, ON-OFF Switch.• Easy, front panel access to technical / service area of the machine. Routine maintenance visible alarm light on front panel.• Ergonomically designed ice storage access, with disappearing door. Door-closing movement dampening system.• XSafe: natural sanitation system, integrated inside the ice maker and operating automatically 24/7 to keep equipment clean & safe.</div>																
<div><div><div>AF 124</div><div>Flake ice</div><div>Residual water content 25%</div></div></div>	<div>CONDENSING SYSTEM<div>Air cooled Water cooled</div></div>	<div>INTERNAL BIN CAPACITY<div>40 kg</div></div>																
	<div>REFRIGERANT GAS<div>R134a</div></div>																	
	<div>VOLTAGE V/Hz/ph<div>230/50/1</div></div>																	
<div>CERTIFICATIONS<div><div></div></div></div>		<div>OPERATING REQUIREMENTS<table><tr><td></td><td>Minimum</td><td>Maximum</td></tr><tr><td>Air temperature</td><td>10</td><td>43</td></tr><tr><td>Water temperature</td><td>5</td><td>38</td></tr><tr><td>Water pressure</td><td>1 bar (14 psi)</td><td>5 bar (70 psi)</td></tr><tr><td>Electrical voltage</td><td>-10%</td><td>+10%</td></tr></table></div>			Minimum	Maximum	Air temperature	10	43	Water temperature	5	38	Water pressure	1 bar (14 psi)	5 bar (70 psi)	Electrical voltage	-10%	+10%
	Minimum	Maximum																
Air temperature	10	43																
Water temperature	5	38																
Water pressure	1 bar (14 psi)	5 bar (70 psi)																
Electrical voltage	-10%	+10%																
<div>IMPORTANT NOTICE:<div>Models and specifications are subject to change without notice. This spec sheet is meant for commercial purpose only. For technical documentation please refer to our service manuals.</div></div>																		


AF 124 XSafe

Self Contained Ice Machine 122 kg

Item #:

Project:

Quantity:



UNIT DATA					SHIPPING DATA						
Size (W x D x H)		950 x 605 x 872 mm			Carton (W x D x H)		1030 x 680 x 960 mm				
Net weight		66 kg			Weight		77 kg				
		24 h ice production kg °C Amb. / °C Water			Energy consumption (*)		Water usage (*)	Instant power	Compressor	Circuit wires	Max. fuse size
Version	Voltage	10°C/10°C	21°C/10°C	32°C/21°C	kWh/ 100 kg	kWh/ 24h	l/h	W	W	No. x Ømm²	A
		kg	kg	kg							
AF 124 AS	230/50/1	122	113	91	12.5	11.4	3.9	510	1200	3 x 1.5	10
AF 124 WS	230/50/1	118	110	92	12.0	11.0	27.0	450	1200	3 x 1.5	10

(*) Data refer to 32°C Amb. / 21°C Water temperature conditions



WolfLabs

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

www.wolflabs.co.uk

Tel : 01759 301142

Fax : 01759 301143

sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.