NewClassic Balances



NewClassic ME Precision Balances

Designed to Last Simply Reliable Efficient Operation



The Essence of Weighing

And More



Efficient and Convenient Performance Balances with Outstanding Value

Daily weighing routines are easy and efficient thanks to the ergonomic design features of the NewClassic ME balances. Essential functionality is at your fingertips to provide you with accurate and reliable weighing results day after day.

But there is more. These robust all-round balances not only support your daily tasks with intuitive operation and fast results, they are also easy-toclean, have front-feet leveling, and are available with internal adjustment at a keystroke.



ME balances are built to last. The solid construction and high quality materials ensure you can rely on accurate results for many years to come.

- Solid metal base
- Reinforced body
- Overload protection up to 100kg

Simply Reliable



State-of-the-art weighing technology ensures stable and accurate results.

- Fast and reliable results
- Date and time stamp (ISO/GLP)
- Internal adjustment available on all models

Efficient Operation



The easy-to-use interface enables direct access to applications and calibration routines. Coupled with easy cleaning, your daily tasks are fast and efficient.

- Intuitive interface
- 10 built-in applications
- Rounded edges and smooth surfaces are easy-to-clean

METTLER TOLEDO Service

Comprehensive Service To perform at its peak, a balance should be serviced periodically. Preventive maintenance and calibration are crucial to ensure high uptime and accurate results.



- Up to 50% lower power consumption
- Selection of non-critical materials -• PVC-free, mercury-free
- Energy efficient manufacturing and logistic







Clear Readout The large numbers on the brilliant backlit display are easy to read in all working environments.




Daily Protection These durable balances offer protection against dust and splashing liquids in every-day operation – prolonging balance life and ideal for weighing under harsh conditions.




Compliant Documentation Trace your data with built-in data and time function to meet ISO/GLP documentation requirements.

NewClassic ME Precision Balances



Model with internal adjustment	ME103	ME203	ME303	ME403		
Model with external calibration	ME103E	ME203E	ME303E	ME403E		
Maximum capacity	120 g	220 g	320 g	420 g		
Weighing platform dimensions Ø	120 mm					
Readability	0.001 g					
Repeatability	0.001 g					
Linearity	0.002 g					
Settling time	1.5 s					
Sensitivity temperature drift	3.0 ppm/°C					
Weight of balance	4.6 kg (ME) /4.4 kg (ME-E)					
Applications	Formulation, totaling, dynamic weighing, piece counting, density, percent weighing, check weighing, statistics, dosing, free factor					





Model with internal adjustment	ME1002	ME2002	ME3002	ME4002		
Model with external calibration	ME1002E	ME2002E	ME3002E	ME4002E		
Maximum capacity	1.200 g	2.200 g	3.200 g	4.200 g		
Weighing platform dimensions (WxD)	180x180 mm					
Readability	0.01 g					
Repeatability	0.01 g					
Linearity	0.02 g					
Settling time	1.0 s					
Sensitivity temperature drift	3.0 ppm/°C					
Weight of balance	3.8 kg (ME) / 3.2 kg (ME-E)					
Applications	Formulation, totaling, dynamic weighing, piece counting, density, percent weighing, check weighing, statistics, dosing, free factor					

All models are available as legal for trade versions.

For more information

Mettler-Toledo AG

GWP[®]

Good Weighing Practice[™]

 ${\rm GWP}^{\circledast}$ is the global weighing standard, ensuring consistent accuracy of weighing processes, applicable to all equipment from any manufacturer. It helps to:

- Choose the appropriate balance or scale
- Calibrate and operate your weighing equipment with security
- Comply with quality and compliance standards in laboratory and manufacturing



Wolf Laboratories Limited

www.wolflabs.co.uk

Tel: 01759 301142

Fax:01759 301143

sales@wolflabs.co.uk



Use the above details to contact us if this literature doesn't answer all your questions.

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.





