

1600 MiniG®

- Light and portable with a small footprint that minimizes bench space
- Vigorous clamp movement results in increased yields
- Consistent vertical motion of the clamp ensures equal conditions for all samples
- Kryo-Tech[®] accessories are available to preserve temperature-sensitive samples





1600 MiniG®

Automated Tissue Homogenizer and Cell Lyser

The 1600 MiniG[®] is the ideal solution for labs that want a compact yet powerful tissue homogenizer and cell lyser. It is equipped with an adjustable clamp that accommodates a full range of sample vials from 2 mL to 50 mL centrifuge tubes or up to two deep-well titer plates. It is specifically designed for cell lysis and tissue homogenization through bead beating, enabling fast and efficient extraction of nucleic acids, proteins and other molecules of interest.

Typical applications: tissue homogenization, DNA/RNA research and extraction, cell lysis, protein extraction, biofuel research, pesticide residue extraction using QuEChERS or the SweEt method.

Typical samples: animal tissue, plant tissue, cell cultures, fruit, cannabis, seeds, yeast and bacteria.

Before & After Samples

Plant Tissue







Programmable LCD screen



Automated mechanical disruption through bead beating



Designed for vigorous up-and-down shaking



Specifications

1600 MiniG

Clamp Movement	1.25 in (3.2cm) vertical
Clamp Speed	Adjustable from 500 to 1750 strokes/minute
Timer	Digital display in minutes:seconds (max 20:00)
USB Port	Run history is recorded and can be exported
Voltage	115 V/60 Hz or 230 V/50 Hz
CE Approved	Yes
Dimensions	14 in (35.6 cm) wide x 22.5 in (57.2 cm) deep x 28 in (71.1 cm) high
Net Weight	100 lb (45.5 kg)
Motor	1/2 hp
Power Cord	3-prong grounded plug, 115 V/60 Hz or 2-prong grounded plug, 230 V/50 Hz





Ordering Information

EQUIPMENT		
Product Name	Part Number	
1600 MiniG	1600	

1600 MiniG® Automated Tissue Homogenizer and Cell Lyser





Wolf Laboratories Limited

www.wolflabs.co.uk

Tel: 01759 301142

Fax:01759 301143

sales@wolflabs.co.uk



Use the above details to contact us if this literature doesn't answer all your questions.

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.





